



MRL[®]

taking you further 

PRODUCT RANGE 2023-24



PROFILE

MRL Tyres Ltd. belongs to the Malhotra Group of Industries founded by Late Shri C.L Malhotra in 1954 which today indulge in manufacturing of Tyres & Tubes besides other businesses like Tyre, Rubber & Retreading Business, Real Estate & Financing.

Today, MRL Tyres Ltd., is recognized around the world for their quality and endurance at competitive prices and are already a popular brand choice across **105 Countries** through its three brands – Malhotra, Indus and MRL.

Since it's re-inception and acquisition by **Mr. Gopal Malhotra (Chairman and Managing Director)** in mid-2008, MRL Tyres have diversified and enhanced business to include an exhaustive range of tyres with **2500 SKU's in line** and today is an Approved Supplier to **Major Original Equipment Manufacturers (OEM's)**, in INDIA, Europe, Africa and USA.

MRL Tyres is also a proud receiver of **"Capexil EXPORT AWARD"** for EIGHT consecutive years awarded by Export Council, Ministry of Commerce, India. With TWO state-of-art manufacturing facilities in Uttar Pradesh; the plants are fully equipped with most modern machinery, ranging from Automatic Compound Mixing to the World Class Curing Systems, to Fast and Efficient Tyre Building Machines, all capable of producing tyres as per Highest International Quality Standards.

TEAM

At MRL, we are a team of Young, Dedicated & Motivated professionals who are passionate and committed to achieve better results by understanding and meeting customer's requirements. MRL team embodies the corporate values and share the passion for their work. All these elements together have made MRL a strong, future-oriented organization with extraordinary growth perspectives in its field of business.

WHAT QUALITY MEANS TO MRL

MRL Brand: We combine this requirement with our pledge of quality to our customers and that is why right quality is achieved through stringent quality control measures carried out at every stage of activity from incoming Raw Materials to Finishing and Dispatch of Products. Besides In-House Testing, MRL Tyres regularly conducts tests under international regulations outside India as well, which reinforces the confidence R&D puts in each product.

VISION

"Thriving together to be a Leading Global Tyre Brand with Excellence"

MISSION:

- **Brand** – No. 1 tyre brand in India and amongst leading tyre brands globally
- **Customers** – Be a Customer Obsessed Company – Customer First 24x7
- **Stakeholders** – Most profitable tyre company in India – deliver enhanced value to all stakeholders
- **Technology** – Lead with premium products through technological edge & Operate Effectively
- **Social Responsibility** – Be a socially responsible corporate Entity
- **Employee Engagement** – Be a continuous learning & innovative organisation with a motivated team

CORE VALUES

- Q** – Quality: Meeting customer expectations
- U** – Unity: One Team One Goal
- E** – Enthusiasm: Passion to Excel
- S** – Service: Customer First Always
- T** – Trust: Integrity & Respect

USP

Our USP lies in Low-cost manufacturing with

- International Quality Standards
- Using the latest technologies
- On time delivery

At MRL, we simply have one motto – To help our Customers stay ahead.

Certificate

Standard **ISO 45001:2018**

Certificate Registr. No. **01 213 2136501**

Certificate Holder: **MRL Tyres Ltd.**
A-1/2, Plot No.10, 11,12, Site B, Surajpur Industrial Area,
Greater Noida, Dist. Gautam Budh Nagar,
UP 201308, India.

Plot No B-13/14, Site C, Surajpur Industrial Area,
Greater Noida, Dist. Gautam Budh Nagar,
UP 201308, India.

Scope: **Manufacture, Export and Domestic Sale of
Pneumatic Automotive Tyres, Flaps, Pre-cured
Treads, Rubberized Cord Fabrics, Hot Rubber,
Cushions and Solutions.**

Proof has been furnished by means of an audit that the
requirements of ISO 45001:2018 are met.

Validity: The certificate is valid from 2021-06-02 until 2024-06-01.

Signature

2021-06-02

TÜV Rheinland Cert GmbH
Am Grauen Stein · 51105 Köln



TÜVRheinland®
Precisely Right.

ISO 45001: 2018

For Occupational Health & Safety Performance.

Certificate

Standard **ISO 14001:2015**

Certificate Registr. No. **01 104 2136501**

Certificate Holder: **MRL Tyres Ltd.**
A-1/2, Plot No.10, 11,12, Site B, Surajpur Industrial Area,
Greater Noida, Dist. Gautam Budh Nagar,
UP 201308, India.

Plot No B-13/14, Site C, Surajpur Industrial Area,
Greater Noida, Dist. Gautam Budh Nagar,
UP 201308, India.

Scope: **Manufacture, Export and Domestic Sale of
Pneumatic Automotive Tyres, Flaps, Pre-cured
Treads, Rubberized Cord Fabrics, Hot Rubber,
Cushions and Solutions.**

Proof has been furnished by means of an audit that the
requirements of ISO 14001:2015 are met.

Validity: The certificate is valid from 2021-06-02 until 2024-06-01.

Signature

2021-06-02

TÜV Rheinland Cert GmbH
Am Grauen Stein · 51105 Köln



TÜVRheinland®
Precisely Right.

ISO 14001: 2015

For Effective Environmental Management System

Certificate

Standard **IATF 16949:2016**
(1st edition, 2016-10-01)

Certificate Registr. No. **01 111 2236327**

IATF Certificate No. **0455070**

Certificate Holder: **MRL Tyres Limited**
A-1/2 - 10, 11, 12 Site - B
INDL. Area, Surajpur, Greater Noida,
Gautam Buddha Nagar,
Uttar Pradesh, 201308, India

With remote location(s) according to annex

Scope: **Design and Manufacture of Tyres**

Proof has been furnished by means of an audit that the
requirements of IATF 16949:2016 are met.

Validity: The certificate is valid from 2022-08-02 until 2025-08-01.

Release date: 2022-08-02

Signature
TÜV Rheinland Cert GmbH
Am Grauen Stein · 51105 Köln
Germany - NRW



2-IAC-QMC 01003

1 / 2

IATF 16949:2016

Quality Management Systems



TÜVRheinland®
Precisely Right.

Annex to certificate

Standard **IATF 16949:2016**
(1st edition, 2016-10-01)

Certificate Registr. No. **01 111 2236327**

IATF Certificate No. **0455070**

Remote Location: **MRL Tyres Limited**
Road No. 70, Plot No. 50A, Rama Road Industrial Area,
Moti Nagar, New Delhi - 110015, India

Rem. Loc. Function: **Marketing, Product design, Purchasing, Sales**

Certificate-Registr-No.: **01 111 2236327/01**

Remote Location: **MRL Tyres Limited**
B-13 And B-14, Site-C, Industrial Area, Greater Noida,
Gautam Buddha Nagar, Uttar Pradesh, 201308,
India

Rem. Loc. Function: **Warehousing**

Certificate-Registr-No.: **01 111 2236327/02**

Release date: 2022-08-02

Signature
TÜV Rheinland Cert GmbH
Am Grauen Stein · 51105 Köln
Germany - NRW



2-IAC-QMC 01003

2 / 2

IATF 16949:2016

Quality Management Systems



TÜVRheinland®
Precisely Right.



भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS

Ghaziabad Branch Office

Address : Savitri Complex, 116 GT Road,
Ghaziabad
201001

Phones : 0120-2861996, 2861498

Fax : 0120-2862195

E-mail : gzo@bis.org.in

Web : http://www.bis.org.in

ATTACHMENT TO LICENCE NO. CML- 3205942

CML NO	NAME OF THE LICENSEE WITH ADDRESS	PRODUCT	IS NO
3205942	Malhotra Rubbers Ltd A-1/2, 10 & 11, Site-B, Surajpur Industrial Area, Greater Noida, Gautam Buddh Nagar Uttar Pradesh 201308	Automotive vehicles - pneumatic tyres for passenger car vehicles - diagonal and radial ply -	IS 15633 : 2005

ENDORSEMENT NO. 6 Dated 09.06.2016

Renewed for a further period of one year from First June Two Thousand and Sixteen to Thirty First May Two Thousand and Seventeen.

Other terms and conditions of Licence remain the same.

(V.V. SINGH)
SCIENTIST B

BIS

Product's Quality, Reliability and Safety



भारत सरकार
GOVERNMENT OF INDIA

वाणिज्य एवं उद्योग मंत्रालय
MINISTRY OF COMMERCE & INDUSTRY

विदेश व्यापार महानिदेशालय
DIRECTORATE GENERAL OF FOREIGN TRADE

मान्यता प्रमाण पत्र
Certificate of Recognition

दो सितारा निर्यात सदन
TWO STAR EXPORT HOUSE 050216000370

मैसर्स **MRL TYRES LIMITED**
70/50A, 1ST FLOOR, RAMA ROAD INDUSTRIAL AREA MOTI
NAGAR NAJAFGARH ROAD NEW DELHI-110015
(आई ई सी 0592031861 और आयकर पैन AAACM0923H)
को विदेश व्यापार नीति, 2015-2020 के प्रावधानों के अनुसार दो सितारा निर्यात सदन का स्तर प्रदान किया जाता है। यह प्रमाण पत्र, प्रक्रिया पुस्तक (2015-2020) के पैरा 3.20 (बी) में दी गयी शर्तों के निहित तत्वों की अवधि के लिए दिनांक 21.12.2016 से 20.12.2021 तक वैध होगा।
M/s **MRL TYRES LIMITED**
70/50A, 1ST FLOOR, RAMA ROAD INDUSTRIAL AREA MOTI
NAGAR NAJAFGARH ROAD NEW DELHI-110015
(IEC 0592031861 and Income tax PAN AAACM0923H)
are hereby **granted** the status of Two Star Export House in accordance with the provisions of the Foreign Trade Policy, 2015-2020. This Certificate is valid for a period of **05** years effective from **21.12.2016** to **20.12.2021** subject to the conditions prescribed in Para 3.20(b) of the Handbook of Procedures (2015-2020).

STAR HOUSE

For Excellence in International Trade



Vehicle Certification Agency

CONFORMITY OF PRODUCTION

This is to confirm that an assessment of

Malhotra Rubbers Ltd.
A 1/2, Plot No. 10-11 & 12, Site B, Surajpur Industrial Area, G.B.Nagar, Greater Noida - 201306, U.P., India

has been carried out by the Vehicle Certification Agency and that the systems, procedures and practices observed are compliant with the Conformity of Production requirements set out in

United Nations ECE Agreement of 5 October 1995 E/CEC/TRANS/505 Rev.2, amending the Agreement of 20 March 1958

in relation to the Directives/Regulations set out below.

Scope of Assessment:

The Manufacture of: Agricultural Tyres

Directive/Regulation: R106

Signed for and on behalf of VCA Date of issue: 30 December 2015

By authority of the Chief Executive

Expires: 29 December 2017

Please Note: There may be surveillance visits carried out during the validation period

CONFORMITY OF PRODUCTION
Evidencing the Ability to Match The Specification, Performance



Industry Services

Prüfbericht - Nr.:	IND/BLR/CH/2012/1342		
Test Report No.:			
Auftraggeber:	Malhotra Rubbers Limited		
Client:	A 1/2 - 10 & 11, Site B, Surajpur Indl Area, UPSIDC Greater Noida GAUTAM BUDDH NAGAR (DISTRICT) Pin: 201308 (UP)		
Gegenstand der Prüfung:	Tyre Sample		
Bezeichnung:	Agriculture and Industrial Tyres		
Anlieferungszustand:	Einwandfrei, prüfgegenstand Getestet wie angeliefert	Eingangsdatum:	20.03.2012
Delivery Condition:	Apparent good, Samples Tested as received	Order No:	143018738
Prüfart:	TÜV Rheinland (India) Pvt Ltd.		
Prüfgrundlage:	Customer requirement:		
Test specification:	Determination of Aromaticity ('bay Hydrogen ') in Vulcanized Rubber Material as per Directive 2005/69/EC		
Prüfresultat:	Please refer Annexure enclosed,		
Prüflaboratorium/ Testing Laboratory:	TÜV Rheinland Hong Kong Ltd		
zusammengestellt/ compiled by:	kontrolliert/ checked by:		
18.04.2012	Ramesh V.G Manager - Industry Services	18.04.2012	Shannuga Sundaram P Country Head Material Testing Laboratory - Industry Services
Datum	Name	Datum	Name
Unterschrift	Unterschrift	Unterschrift	Unterschrift
Sonstiges/ Other Aspects:			
Abkürzungen:	ok / P = entspricht Prüfgrundlage fail / F = entspricht nicht Prüfgrundlage n.a. / N = nicht anwendbar	Abbreviations:	ok / P = passed fail / F = failed n.a. / N = not applicable

REACH

For Environment and protect human health.

Certificate No.: 001-02317-Q

Certificate of Approval

This is to certify that the Quality Management System

at

MRL TYRES LIMITED

A 1/2, Plot No.10-11 & 12, Site B, Surajpur Industrial Area,
G.B.Nagar, Greater Noida - 201 308, Uttar Pradesh, India.


has been examined by Assessors of QMS Certification Services Pvt. Ltd.
and found to be conforming to the requirements of

ISO 9001:2015

In respect of the following activities:

**Manufacture, Export and Supply of Pneumatic Automotive
Tyres, Flaps, Pre Cured Treads, Rubberised Cord Fabrics,
Hot Rubber, Cushions & Solutions**

Current Issue Date 16/09/2021, Valid till 13/09/2024*
Original Certification 05/09/2003


Sanjay Kumar Kaushik
Managing Director

QMS Certification Services Pvt. Ltd.
AFF-1, 'Sriwastu' Enclave, 4/7

ISO 9001:2015
Quality Management Systems

WJ24K3

 STANDARDS ORGANISATION OF NIGERIA
enhancing the design capability

Standards Organisation of Nigeria Conformity Assessment Programme Product Certificate (Licensed)

This document is not and does not substitute in any respect the SONCAP Certificate required for Customs Declaration

PC(L) No.: L-1611/04182/1
Issuance Date: 23.12.2016
Expiry Date of Certificate: 20.12.2017
Page: 1/2 Version: 1

Beneficiary: MRL TYRES LIMITED (FORMERLY KNOWN AS MALHOTRA RUBBERS LIMITED)
Address: 70/50-A, FIRST FLOOR, RAMA ROAD INDUSTRIAL AREA MOTI NAGAR New Delhi - India
Phone No.: 9101149894999
E-mail: info@mrltyres.com
Fax No.: 9122426557

Factory Audit Site: N/A
Factory Audit Date: 12.12.2016

Importer's Details: TIN No: RC/BN No:

Item No.	HS Code	Product Description	Country of Origin	Standard Reference
1	4011	AGRICULTURAL TYRES - 8 INCH TO 48 INCH TYRE, BRAND : MRL	India	ISO 4251-2:2005
2	4011	COMMERCIAL TYRES - 14 INCH TO 20 INCH TYRES, BRAND : MRL	India	ISO 4209-1:2001
3	4011	INDUSTRIAL TYRES - 8 INCH TO 28 INCH TYRES, BRAND : MRL	India	ISO 10499-2:1998
4	4011	COMMERCIAL TYRES - 8 INCH - TWO AND THREE WHEELER TYRES, BRAND : MRL	India	IS 15627:2005

Remarks: SOL ISSUANCE ON THE BASIS OF:-
TEST REPORT, & FACTORY AUDIT REPORT,

SONCAP
Nigeria Quality Approval

 U.S. Department of Transportation
National Highway Traffic Safety Administration



Monit Malhotra
Director
MRL Tyres, Ltd
A-1/2, Plot No. 10 - 12, Site-B
Surajpur Industrial Area, G.B. Nagar
Greater Noida, Uttar Pradesh, India - 201308

JUN 2 2 2017

Dear Monit Malhotra:

This letter is in response to your recent request for assignment of a new tire manufacturer's identification code for the MRL Tyres, Ltd plant located in Greater Noida, India. Since MRL Tyres, Ltd is planning to export tires to the United States, we want to bring to your attention certain Federal laws and regulations, including the Federal Motor Vehicle Safety Standards (FMVSS), administered by the National Highway Traffic Safety Administration (NHTSA) under the National Traffic and Motor Vehicle Safety Act, as amended (Safety Act) that have bearing upon the importation of these tires.

It is a violation of Federal law to manufacture a tire for sale in the United States after the effective date of an applicable FMVSS unless the tire complies in all respects with that FMVSS. In the event that the tire is manufactured in a foreign country, the importer of the tire in the United States is considered a manufacturer under the law, and has all of the duties and obligations of the fabricating manufacturer relating to compliance with FMVSS and, as discussed below, reporting and recalls.

The United States uses a self-certification system in which the tire manufacturer is required to certify that each tire it manufactures complies with the applicable FMVSS. The symbol DOT molded into or onto a tire by its manufacturer is legal certification that the tire complies with all applicable FMVSS. A foreign tire manufacturer is prohibited from introducing or delivering for introduction into interstate commerce in the United States its new tires unless the manufacturer (or importer of record) has certified that the tires comply with all applicable FMVSS.

The self-certification process used in the United States substantially differs from the processes used in many other countries. For instance, China and some countries in Europe require manufacturers to deliver regulated items to a governmental entity for testing; after successful testing, the government approves those regulated items for use and assigns an approval code. Under the United States self-certification process, the tire manufacturer, not any governmental entity, has full legal responsibility to assure that the tires comply with the applicable FMVSS and are properly certified.

It is the responsibility of the tire manufacturer to establish design specifications, manufacturing process specifications, quality assurance programs and engineering change verification programs to such a level that all new tires shipped to the United States meet or exceed the minimum performance requirements of all applicable FMVSS and are properly certified.

DOT
USA Quality Approval

© SE., Washington, DC 20590


THE UNITED KINGDOM VEHICLE APPROVAL AUTHORITY

COMMUNICATION CONCERNING THE APPROVAL GRANTED ⁽¹⁾ APPROVAL EXTENDED ⁽⁴⁾ APPROVAL REFUSED ⁽²⁾ APPROVAL WITHDRAWN ⁽³⁾ PRODUCTION DEFINITELY DISCONTINUED ⁽¹⁾ OF A TYPE OF PNEUMATIC TYRE FOR MOTOR VEHICLES PURSUANT TO REGULATION NO. 106.

 Approval No: 106R-001929

Extension No: 00

- Manufacturer's name or trade mark (s) of the tyre: MALHOTRA, MRL, INDUS
- Tyre type designation by the manufacturer: FARM SUPER 85
- Manufacturer's name and address:
Malhotra Rubbers Ltd
A 1/2, Plot No. 10-11 & 12, Site B, Surajpur Industrial Area, G.B.Nagar, Greater Noida - 201306, UP India
- If applicable, name and address of manufacturer's representative:
- Summarized description:
 - Size of tyre: 460/85R38
 - Category of use: Tractor- Drive Wheel - Standard tread
 - Structure: ~~diagonal (bias-ply)~~ bias belted/radial ⁽¹⁾
 - Speed category symbol: A8
 - Load-capacity index: 149
 - for traction (implement only): Not Applicable
 - for trailer (implement only): Not Applicable
 - Whether the tyre is to be fitted with or without an inner tube: With / without
- The supplementary service description, if applicable: 149 B

E MARK
EU Quality Approval

Agency of the Department for Transport
June 2015 Revision 4


18-Apr-16
UK Approval Authority



AGRICULTURAL RANGE

VF TRACTOR & HARVESTER TYRES



TYRE SIZE

26"	VF 750/65R26
32"	VF 900/60R32
38"	VF 650/60R38NR0 VF 800/70R38NR0
46"	VF620/70R46



2WD Tractor



4WD Tractor



Utility Tractor
MFWA



Combine Harvester

MVF 600

V FLEXO PLUS

VF FLOTATION RADIAL - STEEL BELTED TYRES



TYRE SIZE

22.5"	VF 560/60R22.5
-------	----------------



2WD TRACTOR



4WD TRACTOR



BALER



WATER TANKER

FLR 337

FLEX POWER

VF FLOTATION RADIAL - STEEL BELTED TYRES



TYRE SIZE

17.5"	VF 400/45R17.5
-------	----------------



2WD TRACTOR



4WD TRACTOR



BALER



WATER TANKER

FLR 333

X POWER



VF ROW CROP RADIAL - STEEL BELTED TYRES



TYRE SIZE

50"

VF 480/80R50

MVF 603

V FLEXO SPRAYER



2WD TRACTOR



4WD TRACTOR



UTILITY TRACTOR
MFWA



COMBINE HARVESTER



AGRICULTURAL LOADER

AGRICULTURAL



FLOTATION RADIAL - STEEL BELTED TYRES



FLR 333 X POWER

TYRE SIZE	
17"	500/50R17
22.5"	560/45R22.5 500/60R22.5 560/60R22.5 600/50R22.5
26.5"	600/55R26.5 650/55R26.5 710/50R26.5
30.5"	750/60R30.5
32"	800/60R32



FLOTATION RADIAL - STEEL BELTED TYRES



FLR 335 S POWER

TYRE SIZE	
22.5"	500/60R22.5 560/45R22.5 560/60R22.5 580/65R22.5 600/50R22.5 620/40R22.5 710/45R22.5
26.5"	710/45R26.5 600/55R26.5 650/55R26.5 650/60R26.5 710/50R26.5
30.5"	650/65R30.5 710/50R30.5 750/60R30.5
32"	800/60R32




FLOTATION RADIAL - STEEL BELTED TYRES



FLR 334 FLOT POWER

TYRE SIZE	
17"	500/50R17
22.5"	710/40R22.5



FLOTATION RADIAL TYRES



FLR 339

Z POWER

TYRE SIZE

22.5"

560/60R22.5

26.5"

600/55R26.5



Baler



Water Tanker

RADIAL R-1W HARVESTING - MEGA SOL TYRES



RRT 650

MEGA SOL

TYRE SIZE

26"

620/75R26

750/70R26

32"

800/65R32



2WD TRACTOR



4WD TRACTOR



COMBINE HARVESTER



CHASER BINS



SLURRY TANKER

BIAS HARVESTER TYRES



MRT 334

HARVESTER KING

TYRE SIZE

32"

30.5L-32



2WD TRACTOR



4WD TRACTOR



COMBINE HARVESTER



CHASER BINS



SLURRY TANKER

TRACTOR RADIAL R-1W 65 SERIES TYRES


RRT 665
FARM XTREME 65

TYRE SIZE

24"

440/65R24

480/65R24

540/65R24

28"

480/65R28

540/65R28

600/65R28

650/65R28

30"

540/65R30

600/65R30

34"

540/65R34

600/65R34

38"

540/65R38

600/65R38

650/65R38

42"

650/65R42



2WD TRACTOR



4WD TRACTOR


 UTILITY TRACTOR
MFWA


COMBINE HARVESTER

TRACTOR RADIAL R-1W 70 SERIES TYRES


RRT 770
FARM MAXX 70

TYRE SIZE

16"

280/70R16

18"

280/70R18

20"

260/70R20

300/70R20

320/70R20

24"

320/70R24

360/70R24

380/70R24

420/70R24

480/70R24

28"

380/70R28

360/70R28

420/70R28

480/70R28

30"

420/70R30

480/70R30

600/70R30

34"

480/70R34

520/70R34

38"

480/70R38

520/70R38

580/70R38

710/70R38

42"

620/70R42

710/70R42



2WD TRACTOR



4WD TRACTOR


 UTILITY TRACTOR
MFWA


COMBINE HARVESTER



AGRICULTURAL LOADER

TRACTOR RADIAL R-1W 85 SERIES TYRES



RRT 885



FARM SUPER 85

TYRE SIZE

24"

280/85R24
320/85R24
340/85R24
380/85R24
420/85R24

28"

280/85R28
320/85R28
340/85R28
380/85R28
420/85R28

30"

380/85R30
420/85R30
460/85R30

32"

320/85R32

34"

380/85R34
420/85R34
460/85R34

36"

320/85R36
340/85R36

38"

380/85R38
420/85R38
460/85R38
520/85R38
650/85R38

42"

480/80R42
520/85R42

46"

480/80R46
520/85R46

50"

480/80R50



2WD TRACTOR



4WD TRACTOR



UTILITY TRACTOR
MFWA



COMBINE HARVESTER



AGRICULTURAL LOADER

RADIAL ROW CROP 95 SERIES TYRES



RC 950



SPRAYER RC 950

TYRE SIZE

32"

210/95R32
230/95R32
270/95R32

36"

230/95R36
270/95R36

38"

270/95R38

42"

230/95R42
270/95R42

44"

230/95R44
270/95R44

46"

300/95R46
320/90R46
380/90R46

48"

230/95R48
270/95R48
340/85R48

52"

300/95R52

54"

270/95R54
320/90R54



2WD TRACTOR



4WD TRACTOR



SPRAYER



WATER SPRINKLER

RADIAL AGRO INDUSTRIAL TYRES



TYRE SIZE
24"
460/70R24
500/70R24



GT 375

GRIP TRAC 375

RADIAL AGRO INDUSTRIAL TYRES



TYRE SIZE
24"
460/70R24



GT 333

MAXIMUS

AGRICULTURAL



MPT RADIAL - STEEL BELTED TYRES


GT 335
S POWER

TYRE SIZE

20"

405/70R20

24"

405/70R24



TELEHANDLER



BACKHOE

HEAVY DUTY FORESTRY TYRES- STEEL BELTED TYRES


MRT 300
LOG XTREME

TYRE SIZE

26"

18.4-26

28L-26

26.5"

750/55-26.5

32"

24.5-32

30.5L-32

35.5L-32



SKIDDER

AGRO - FORESTRY TYRES


MRT 329
KIRTI

TYRE SIZE

24"

11.2-24

12.4-24

13.6-24

14.9-24

26"

18.4-26

28"

12.4-28

13.6-28

14.9-28

16.9-28

30"

16.9-30

18.4-30

34"

16.9-34

18.4-34

38"

13.6-38

15.5-38

16.9-38

18.4-38

20.8-38



2WD TRACTOR



4WD TRACTOR


 UTILITY TRACTOR
MFWA

 COMBINE
HARVESTER


SPRAYER

DRIVE WHEEL (R-1) TRACTOR REAR TYRES


MRT 329
KIRTI

TYRE SIZE

20"
8.00-20
8.3-20
9.5-20
11.2-20
22"
8.3-22
9.5-22
24"
8.3-24
9.5-24
11.2-24
12.4-24
13.6-24
14.9-24
16.9-24

26"
14.9-26
16.9-26
18.4-26
23.1-26
28"
11.2-28
12.4-28
13.6-28
14.9-28
16.9-28
18.4-28
30"
14.9-30
16.9-30
18.4-30
23.1-30

32"
12.4-32
34"
16.9-34
18.4-34
20.8-34
36"
12.4-36
13.6-36
38"
12.4-38
13.6-38
14.00-38
15.5-38
16.9-38
18.4-38
20.8-38



2WD TRACTOR



4WD TRACTOR


 UTILITY TRACTOR
MFWA

 COMBINE
HARVESTER


SPRAYER

DRIVE WHEEL (R-1) BIAS ROW CROP FARMING TYRES


MRT 329
KIRTI

TYRE SIZE

19"
4.50-19
21"
4.00-21
30"
4.00-30
9.50-30
32"
8.3-32
9.5-32

36"
7.2-36
8.3-36
9.5-36
38"
8.3-38
11.2-38



2WD TRACTOR



4WD TRACTOR


 UTILITY TRACTOR
MFWA

 COMBINE
HARVESTER


SPRAYER

DRIVE WHEEL (R-1W) TRACTOR REAR TYRES


MRT 347
MAHAVEER

TYRE SIZE

18"

8.00-18



2WD TRACTOR



4WD TRACTOR


 UTILITY TRACTOR
MFWA

DRIVE WHEEL (R-1W) TRACTOR REAR TYRES


MRT 330
RUDRA

TYRE SIZE

18"

8.00-18

28"

12.4-28

13.6-28

14.9-28

16.9-28

30"

16.9-30

18.4-30



2WD TRACTOR



4WD TRACTOR


 UTILITY TRACTOR
MFWA

DRIVE WHEEL (R-1W+) TRACTOR REAR TYRES


MRT 335
DABANG GOLD

TYRE SIZE

28"

12.4-28

13.6-28

14.9-28

16.9-28

30"

18.4-30



2WD TRACTOR



4WD TRACTOR


 UTILITY TRACTOR
MFWA

 COMBINE
HARVESTER

DRIVE WHEEL (R-1W+) TRACTOR REAR TYRES



MRT 336 DEEP TRACK

TYRE SIZE	
18"	8.00-18
20"	8.3-20
	11.2-20
24"	9.5-24
	12.4-24
28"	13.6-28
30"	16.9-30
34"	16.9-34

- 
2WD TRACTOR
- 
4WD TRACTOR
- 
UTILITY TRACTOR
MFWA
- 
COMBINE
HARVESTER

DRIVE WHEEL (R-1W+) SMALL TRACTOR TYRES



MRT 302 RT M93 RT

TYRE SIZE	
12"	5.00-12
	6.00-12

- 
2WD TRACTOR
- 
UTILITY TRACTOR
MFWA

DRIVE WHEEL (R-2) TRACTOR REAR TYRES



MRT 333 CAMPEON

TYRE SIZE	
24"	12.4-24
	14.9-24
26"	23.1-26
28"	14.9-28
30"	18.4-30
	23.1-30
34"	18.4-34
38"	18.4-38

- 
2WD TRACTOR
- 
4WD TRACTOR

IRRIGATOR TYRES



MRT 331

IRRIGATION

TYRE SIZE

24"

11.2-24

14.9-24

38"

11.2-38



IRRIGATOR TYRES ND-2



MRT 332

IRRIGATOR ND-2

TYRE SIZE

24"

11.2-24

14.9-24

38"

11.2-38



IRRIGATOR TYRES



MRT 320

F50 IRRIGATION

TYRE SIZE

24"

11.2-24



TRACTOR FRONT TYRES



MTF 212 THREE RIB PREMIUM

TYRE SIZE		
8"	4.00-8	
12"	4.00-12	
15"	5.00-15	
	9.5L-15	
	11L-15	
16"	5.50-16	
	6.00-16	
	6.50-16	
16"	7.50-16	
	9.00-16	
	10.00-16	
16.1"	11.00-16	
	14L-16.1	
18"	7.50-18	
19"	4.00-19	
	6.00-19	
20"	7.50-20	



2WD TRACTOR



UTILITY TRACTOR
MFWA

TRACTOR FRONT TYRES



MTF 221 TWO RIB PREMIUM

TYRE SIZE	
16"	5.50-16
	6.00-16
	6.50-16
	7.50-16
18"	7.50-18
20"	6.50-20
	7.50-20



2WD TRACTOR



UTILITY TRACTOR
MFWA

TRACTOR FRONT TYRES



MTF 222 DOUBLE RIB

TYRE SIZE	
16"	4.00-16
	4.50-16
	5.00-16
	6.00-16
	7.50-16
18"	7.50-18
20"	7.50-20



2WD TRACTOR



UTILITY TRACTOR
MFWA

TRACTOR FRONT TYRES


MTF 257
SINGLE RIB

TYRE SIZE

10"		16"	
	4.50-10		5.00-16
12"			5.50-16
	4.50-12		6.00-16
14"			6.50-16
	5.20-14		7.50-16
		20"	
			6.50-20



2WD TRACTOR


 UTILITY TRACTOR
MFWA

TRACTOR FRONT TYRES


MTF 258
POWER AGRO

TYRE SIZE

16"	
	6.00-16



2WD TRACTOR


 UTILITY TRACTOR
MFWA

TRACTOR FRONT TYRES


MTF 256
SUPREME PLUS

TYRE SIZE

16"	
	6.00-16
	7.50-16



2WD TRACTOR


 UTILITY TRACTOR
MFWA

TRACTOR FRONT TYRES



MTF 284 FOUR RIB

TYRE SIZE	
15"	9.5L-15
	11L-15
16"	10.00-16
	11.00-16
16.1"	14L-16.1
18"	7.50-18



AGRICULTURAL IMPLEMENT TRAILER TYRES



MAW 200

IMPLEMENT

TYRE SIZE

12"	10.0/80-12
15.3"	10.0/75-15.3
	11.5/80-15.3
	12.5/80-15.3
16"	10.5/65-16



AGRICULTURAL IMPLEMENT TRAILER TYRES



MAW 203

IMPLEMENT

TYRE SIZE

12"	7.00-12
	10.0/80-12
15.3"	10.0/75-15.3
	11.5/80-15.3
	12.5/80-15.3
16"	6.00-16
	7.50-16
	10.5/65-16
	13.0/55-16
	13.0/75-16

18"

10.5/80-18
12.5/80-18
13.0/65-18



AGRICULTURAL IMPLEMENT TRAILER TYRES



MAW 905

AW

TYRE SIZE

16"	14.0/65-16
17"	15.0/55-17



AGRICULTURAL IMPLEMENT TRAILER TYRES



TYRE SIZE	
17"	
	15.0/55-17

-  TRAILER
-  BALER
-  AGRICULTURAL IMPLEMENTS

MAW 905L  AW - LITE

AGRICULTURAL IMPLEMENT TRAILER TYRES



TYRE SIZE	
15.3"	
	260/70-15.3
	300/80-15.3
17"	
	380/55-17
	480/45-17
	500/50-17

-  TRAILER
-  BALER
-  AGRICULTURAL IMPLEMENTS

MAW 906  AW

AGRICULTURAL IMPLEMENT TRAILER TYRES



TYRE SIZE	
15.5"	
	400/60-15.5
17"	
	19.0/45-17
	500/50-17

-  BALER
-  AGRICULTURAL IMPLEMENTS

MAW 977  AW

AGRICULTURAL IMPLEMENT TRAILER TYRES



RIB 707  **RIB**

TYRE SIZE

14.5"

200/60-14.5

250/65-14.5

18"

12.0-18



BALER



AGRICULTURAL
IMPLEMENTS

FARM IMPLEMENT I-1 TYRES



MIM 104  **RIB**

TYRE SIZE

14"

9.5L-14

11L-14

15"

9.5L-15

10.00-15

11L-15

7.60-15

12.5L-15

32x11.50-15

31x13.50-15

16"

6.50-16

7.50-16

11L-16

12.5L-16

16.1"

16.5L-16.1

21.5L-16.1



TRAILER



AGRICULTURAL
IMPLEMENTS

FARM & HIGHWAY TYRES



FI 105  **RIB**

TYRE SIZE

15"

9.5L-15 FI

11L-15 FI

12.5L-15 FI

32x11.50-15 FI



TRAILER



AGRICULTURAL
IMPLEMENTS

FARM & ROAD TYRES



TYRE SIZE
16"
10.50-16



MAW 203 AW FLAT BASE

FLOTATION - IMPLEMENT TRACTION TYRES



TYRE SIZE
15.5"
400/45-15.5



PRINCE 339 FLOTATION

FLOTATION - IMPLEMENT TRACTION TYRES



TYRE SIZE
15.5"
400/60-15.5



PRINCE 335 FLOTATION

FLOTATION - IMPLEMENT TRACTION TYRES



PRINCE 337 FLOTATION

TYRE SIZE

17"

500/50-17



FLOTATION TRAILER TYRES



PRINCE 338 FLOTATION

TYRE SIZE

22.5"

500/60-22.5

550/60-22.5

600/50-22.5

600/55-22.5

700/40-22.5



FLOTATION TRAILER TYRES



MEX 340 EXCAVATOR PRINCE

TYRE SIZE

22.5"

500/60-22.5

550/45-22.5

600/40-22.5

600/50-22.5

700/40-22.5



AS / R1 - IMPLEMENT TRACTION TYRES



MIM 374 R1 - IMP TRACTION

TYRE SIZE	
8"	4.80-8
10"	5.00-10
12"	6.5/80-12
	11.0/65-12
	7.00-12
	320/60-12
15"	5.00-15
15.3"	10.0/75-15.3
	11.5/80-15.3
15.5"	280/60-15.5
16"	4.00-16
	6.00-16
	6.50-16
	7-16
	7.50-16
	8-16
	9.50-16
17"	15.0/55-17
	19.0/45-17
18"	7.50-18
	12.5/80-18
20"	7.50-20
	405/70-20
24"	15.5/80-24
	405/70-24
	16.5/85-24



AS / R1 - IMPLEMENT TRACTION TYRES



MIM 375 R1 - IMP TRACTION

TYRE SIZE
15"
6.5/80-15



AS / R1 - IMPLEMENT TRACTION TYRES



MRT 356 R1 - IMP TRACTION

TYRE SIZE
16"
6.00-16



AS / R1 - IMPLEMENT TRACTION TYRES



MIM 378

IMPLEMENT

TYRE SIZE

15"

185/65-15

180/100-15

190/95-15

16"

7.50-16



2WD TRACTOR



UTILITY TRACTOR
MFWA



BACKHOE

TRACTOR TRAILER TYRES



MTT 905

MILITARY

TYRE SIZE

16"

9.00-16



LIGHT COM VEHICLE



SAND TRAILER

TRACTOR TRAILER TYRES



ML 869

MILITARY

TYRE SIZE

16"

9.00-16



LIGHT COM VEHICLE



SAND TRAILER



JEEP

TRACTOR TRAILER TYRES



MTT 914

MILITARY

TYRE SIZE

16"

9.00-16

9.00-16FB



LIGHT COM VEHICLE



SAND TRAILER

TRACTOR TRAILER TYRES



ML 653

LUG

TYRE SIZE

16"

7.50-16



LIGHT COM VEHICLE



TRUCK



JEEP

TRACTOR TRAILER TYRES



MSL 644

JUPITER

TYRE SIZE

20"

6.50-20



SAND TRAILER

MOBILE HOME TRAILER TYRES



MT 007

MOBI

TYRE SIZE

9"

6.00-9



CARAVAN

CABLE TYRES



MS 440

GRIPKING

TYRE SIZE

8"

18x7-8



CABLE CAR

GOLF, LAWN & GARDEN TYRES



MG23

RIB

TYRE SIZE

8"

18x8.50-8



MOWER



GOLF CART

GOLF, LAWN & GARDEN TYRES



MG54 Z-WIDE

TYRE SIZE	
6"	15x6.00-6
8"	16x6.50-8 18x8.50-8
10"	20x10.00-10
12"	23x8.50-12 23x10.50-12 26x12-12
16.5"	33x15.5-16.5



GOLF, LAWN & GARDEN TYRES



MG45 MAXI

TYRE SIZE	
10"	205/50-10



GOLF, LAWN & GARDEN TYRES



MG41 SAW TOOTH

TYRE SIZE	
8"	18x8.50-8



TRENCHER TYRES



MTR 601

R1

TYRE SIZE

12"

26x12-12



TRENCHER



Utility Tractor
MFWA

TRENCHER TYRES



MTR 602

R1

TYRE SIZE

12"

23x10.50-12

15"

29x12.50-15

31x15.5-15



MOWER



GOLF CART

LAWN & GARDEN - SPECIAL TYRES



MTR 602

GECKO

TYRE SIZE

12"

23x10.50-12



MOWER



GOLF CART

ADV IMPLEMENT TYRES



TYRE SIZE	
19"	
	5.00-19
	6.00-19
	7.00-19



MIM 113

KIRTI

ADV IMPLEMENT TYRES



TYRE SIZE	
19"	
	5.00-19
	7.00-19



MIM 115

JAI KISAN JUNIOR

ADV IMPLEMENT TYRES



TYRE SIZE	
19"	
	5.00-19
	6.00-19
	7.00-19
	8.00-19



MIM 149

KESARI

ADV IMPLEMENT TYRES



MIM 150

MR 87

TYRE SIZE

19"

5.00-19

6.00-19



AGRICULTURAL
IMPLEMENTS

ADV IMPLEMENT TYRES



MIM 176

DABANG

TYRE SIZE

19"

5.00-19

7.00-19

8.00-19



AGRICULTURAL
IMPLEMENTS

ADV IMPLEMENT TYRES



MIIM 185

MAHAVEER

TYRE SIZE

19"

6.00-19

7.00-19

8.00-19



AGRICULTURAL
IMPLEMENTS

ADV IMPLEMENT TYRES

TYRE SIZE

20"

6.00-20



AGRICULTURAL
IMPLEMENTS



MIM 167

M95

INDUSTRIAL OTR EARTHMOVER RANGE



GRADER TYRES



TYRE SIZE

24"
13.00-24
14.00-24



MG2- 401  SUPERCAT

GRADER TYRES



TYRE SIZE

24"
13.00-24
14.00-24



MG2- 402  BLACK CAT

GRADER TYRES



TYRE SIZE

25"
15.5-25
17.5-25
20.5-25



MG2- 419  SUPER GRADER

ATU TYRES (ALL TRACTION UTILITY)



ATU- 410

SUPER CAT

TYRE SIZE

18"

10.5/80-18

12.5/80-18



DOZER



GRADER



BACKHOE

ATU TYRES (ALL TRACTION UTILITY)



ATU- 482

THE BEAST HD

TYRE SIZE

18"

12.5/80-18

24"

19.5L-24

14.00-24

28"

16.9-28

18.4-26



DOZER



GRADER



BACKHOE

MPT TYRES (MULTI PURPOSE TRUCK)



MPT 446

MPT

TYRE SIZE

15.3"

10.0/75-15.3

11.5/80-15.3

18"

10.5-18

12.5-18

19.5"

18-19.5

20"

10.5-20

12.5-20

14.5-20MPT



INDUSTRIAL TRACTOR

INDUSTRIAL TRACTORS TYRES



TYRE SIZE

15"

32x11.50-15



MIT 293

PREMIUM

INDUSTRIAL TRACTORS TYRES



TYRE SIZE

15"

11L-15

32x11.50-15

16"

11L-16



MIT 295 HD

HEAVY DUTY



R4 TYRES



MTU 428

SUPERCAT

TYRE SIZE

24"	
	16.9-24
	17.5L-24
	18.4-24
	19.5L-24
	21L-24
26"	
	18.4-26
28"	
	16.9-28



DOZER



GRADER



BACKHOE

R4 TYRES



MTU 430

ROCKY HD

TYRE SIZE

15"	24"	30"
		16.9-30
	33x12.5-15	
		16.9-24
16"	12.5/70-16	17.5L-24
		18.4-24
18"	15.5/60-18	19.5L-24
	15.5/70-18	400/80-24
		440/80-24
20"	17.5/65-20	
	400/70-20	26"
		18.4-26
		28"
		16.9-28



DOZER



GRADER



BACKHOE

WIDEWALL FORKLIFT INDUSTRIAL



MFL 437 RIM-GUARD

TYRE SIZE

8"	18x7-8
	4.00-8
	5.00-8
9"	6.00-9
10"	6.50-10
12"	7.00-12
15"	8.15-15
	8.25-15

WIDEWALL FORKLIFT INDUSTRIAL



MFL 438 HD

TYRE SIZE

5"	23x5	15"	8.15-15
8"	18x7-8		8.25-15
	4.00-8		250-15
	5.00-8		300-15
9"	6.00-9		7.00-15
10"	6.50-10		7.50-15
12"	7.00-12		

WIDEWALL FORKLIFT INDUSTRIAL



MFL 439 LOAD GRIP+

TYRE SIZE

20"	10.00-20
	12.00-20

SKID LOADER TYRES



ML2 455 SKID STAR

TYRE SIZE

16.5"
10-16.5
12-16.5



SKID LOADER TYRES



ML2 464 SUPERCAT HD

TYRE SIZE

12"	23x8.50-12
15"	27x8.50-15
16.5"	10-16.5
	12-16.5
	31.5x13-16.5
	33x15.5-16.5
17.5"	14-17.5
19.5"	15-19.5



SKID LOADER TYRES



ML2 473 XTREME TRAC HD

TYRE SIZE

16.5"
10-16.5
12-16.5



SKID LOADER TYRES



TYRE SIZE

16.5"
10-16.5
12-16.5



DOZER



BACKHOE



SKIDSTEER

ML2 474

ROCK TRAC HD

SKID LOADER TYRES



TYRE SIZE

16.5"
10-16.5
12-16.5



DOZER



BACKHOE



SKIDSTEER

ML2 482 HD

THE BEAST HD

E-4 TYRES



TYRE SIZE

25"
14.00-25
18.00-25



WHEEL LOADER



LOAD HAUL DUMPER



ARTICULATED DUMP TRUCK



REACH STACKER



PORT APPLICATION

ME4 457

PORT MAXX

E-3/L-3 TYRES



ME3 456

KALA SONA

TYRE SIZE

20"

10.00-20

11.00-20

24"

12.00-24

14.00-24

25"

14.00-25



DOZER



DUMP TRUCK



WHEEL LOADER



LOAD HAUL
DUMPER



ARTICULATED
DUMP TRUCK

E-3/L-3 TYRES



ME3 456

ROCK STONE

TYRE SIZE

24"

14.00-24



DOZER



DUMP TRUCK



WHEEL LOADER



LOAD HAUL
DUMPER



ARTICULATED
DUMP TRUCK

E-3/L-3 TYRES



ME3 456

ROCK GRIP

TYRE SIZE

20"

17.5/65-20

24"

16.9-24

25"

15.5-25

17.5-25

20.5-25

23.5-25

26.5-25

29.5-25



DOZER



DUMP TRUCK



WHEEL LOADER



LOAD HAUL
DUMPER



ARTICULATED
DUMP TRUCK

COMPACTOR TYRES



TYRE SIZE	
16.1"	13.5-16.1
26"	23.1-26



MR3-1067 **DIAMOND**

COMPACTOR TYRES



TYRE SIZE	
26"	18.4-26



MR3-1068 **DIAMOND**

COMPACTOR TYRES



TYRE SIZE	
15"	7.50-15
16"	7.50-16
20"	9.00-20
	11.00-20



MS-400 **ROLLER KING**

EXCAVATOR TYRES



MEX 473 ROCK LUG

TYRE SIZE

20"
9.00-20
10.00-20



BACKHOE

MILITARY TYRES



ML 869 (M88) MILITARY

TYRE SIZE

16"
6.00-16
9.00-16
7.00-16
7.50-16
20"
7.50-20
9.00-20



LIGHT COM VEHICLE



SAND TRAILER



JEEP

SAND TYRES



MR 501 SAND STAR

TYRE SIZE

16"
7.50-16



SAND TRAILER

SAND TYRES



TYRE SIZE

13"
9.00-13



SAND TRAILER

MR 502

SAND MILE

SAND TYRES



TYRE SIZE

15"	9.00-15
16"	9.00-16
17"	9.00-17
20"	14.00-20
	16.00-20



SAND TRAILER

MR 503

SAND MAXX



COMMERCIAL RANGE



RADIAL LIGHT TRUCK- STEEL BELTED TYRES



TYRE SIZE	
15"	
	7.00R15



TRUCK



LIGHT COM VEHICLE

MR - 14+

STEEL CARGO (SB)

RADIAL LIGHT TRUCK TYRES



TYRE SIZE	
16"	
	185/85R16



TRUCK



LIGHT COM VEHICLE

MR - 05

HEAVY TRUCK & BUS RIB TYRES



TYRE SIZE	
20"	
	10.00-20
	11.00-20



TRUCK



LIGHT COM VEHICLE

MR 500

FRONTIER

LIGHT TRUCK (LCV) RIB TYRES


MR 518
TUFF MILER

TYRE SIZE

15"

6.70-15

16"

6.50-16



TRUCK



LIGHT COM VEHICLE



JEEP

LIGHT TRUCK (LCV) RIB TYRES


MR 504
MILE PLUS

TYRE SIZE

14"

6.50-14

15"

7.00-15

7.50-15

8.25-15

16"

7.00-16

7.50-16

8.25-16



TRUCK



LIGHT COM VEHICLE



JEEP

LIGHT TRUCK (LCV) RIB TYRES


MR 500
FRONTIER

TYRE SIZE

14"

6.50-14

15"

7.00-15

7.50-15

16"

7.00-16

7.50-16

8.25-16



TRUCK



LIGHT COM VEHICLE

LIGHT TRUCK (LCV) RIB TYRES



TYRE SIZE	
16"	7.50-16



LIGHT COM VEHICLE

MR 563 MILER RIB

LIGHT TRUCK (LCV) TYRES



TYRE SIZE	
14"	6.50-14
15"	7.00-15
	7.50-15
16"	7.00-16
	7.50-16
	8.25-16



LIGHT COM VEHICLE



SMALL COMMERCIAL VEHICLE

ML 600 LOAD SUPER

LIGHT TRUCK (LCV) LUG TYRES



TYRE SIZE	
15"	7.00-15
16"	7.00-16
	7.50-16
	8.25-16



LIGHT COM VEHICLE

ML 601 LOAD POWER

LIGHT TRUCK (LCV) LUG TYRES


ML 602
TRACK FIGHTER

TYRE SIZE

16"
8.25-16


LIGHT COM VEHICLE

LIGHT TRUCK (LCV) SEMI LUG TYRES


MSL 608
ULTRA MILER 92

TYRE SIZE

15"
7.00-15
16"
7.00-16


LIGHT COM VEHICLE

LIGHT TRUCK (LCV) SEMI LUG TYRES


MSL 617
HUNTER

TYRE SIZE

14"
6.50-14


LIGHT COM VEHICLE



JEEP

LIGHT TRUCK (LCV) SEMI LUG TYRES



TYRE SIZE

16"

7.50-16



LIGHT COM VEHICLE

MSL 689

M 77

LIGHT TRUCK (LCV) SEMI LUG TYRES



TYRE SIZE

16"

7.50-16



LIGHT COM VEHICLE



JEEP

MR 806

KARISMA



ULTRA LIGHT TRUCK TYRES (RIB)



MR 504

MILE PLUS

TYRE SIZE

10"

5.00-10



SMALL COMMERCIAL
VEHICLE

ULTRA LIGHT TRUCK TYRES (RIB)



MR 518

TUFF MILER

TYRE SIZE

10"

5.00-10

12"

4.50-12

5.00-12



SMALL COMMERCIAL
VEHICLE

ULTRA LIGHT TRUCK TYRES (RIB)



MR 519

SAARTHI SUPER

TYRE SIZE

10"

5.00-10



SMALL COMMERCIAL
VEHICLE

ULTRA LIGHT TRUCK TYRES (RIB)



TYRE SIZE	
12"	155D-12
	165D-12
13"	165D-13
14"	165D-14
	185D-14



SMALL COMMERCIAL VEHICLE

MR 500 FRONTIER

ULTRA LIGHT TRUCK TYRES (RIB)



TYRE SIZE	
13"	5.50-13



SMALL COMMERCIAL VEHICLE

MR 896 LOADER

ULTRA LIGHT TRUCK TYRES (LUG)



TYRE SIZE	
13"	5.50-13



SMALL COMMERCIAL VEHICLE

ML 600 LOAD SUPER

ULTRA LIGHT TRUCK TYRES



ML 601 **LOADER POWER**

TYRE SIZE

10"	4.50-10
	5.00-10
12"	155D-12
	165D-12
13"	165D-13
14"	165D-14
	185D-14



LIGHT COM VEHICLE

ULTRA LIGHT TRUCK TYRES



MSL 644 **JUPITER**

TYRE SIZE

12"	5.00-12
------------	---------



SAND TRAILER



LIGHT COM VEHICLE



JEEP & CAR TYRES



TYRE SIZE

14"
5.20-14
5.60-14



LIGHT COM VEHICLE



JEEP

MR 806

KARISMA

JEEP & CAR TYRES



TYRE SIZE

12"
5.65-12



LIGHT COM VEHICLE

MR 815

MILER GRIP

COMMERCIAL



JEEP & CAR TYRES



MR 842 RIDER92

TYRE SIZE	
14"	5.20-14



JEEP & CAR TYRES



MSL 617 HUNTER

TYRE SIZE	
16"	6.00-16



JEEP & CAR TYRES



ML 869 M88

TYRE SIZE	
16"	6.00-16



JEEP & CAR TYRES



TYRE SIZE	
16"	
	6.00-16



MR 878 CIVIL

JEEP & CAR TYRES



TYRE SIZE	
16"	
	6.00-16



MR 887 EAGLE

JEEP & CAR TYRES



TYRE SIZE	
16"	
	6.00-16



MR 518 TUFF MILLER

JEEP & CAR TYRES



TYRE SIZE

15"

F78-15



JEEP & CAR TYRES



TYRE SIZE

15"

195/80D15



JEEP & CAR TYRES



TYRE SIZE

15"

195/80D15



3 WHEELERS AUTO TYRES



TYRE SIZE	
8"	4.00-8



MR 777 **AUTO KING SUPER**

3 WHEELERS AUTO TYRES



TYRE SIZE	
8"	4.00-8
10"	4.00-10
	4.50-10



MR 519 **SAARTHI SUPER**

3 WHEELERS AUTO TYRES



TYRE SIZE	
8"	4.00-8



MR 716 **KIRTI SUPER**

3 WHEELERS AUTO TYRES


MR 734
M94R SUPER
TYRE SIZE
8"
4.00-8

AUTO RICKSHAW

3 WHEELERS AUTO TYRES


ML680
LUG SUPER
TYRE SIZE
8"
4.00-8

AUTO RICKSHAW

3 WHEELERS AUTO TYRES


MR 572
MAHARAJA SUPER
TYRE SIZE
10"
4.50-10

AUTO RICKSHAW

LIGHT COM VEHICLE

3 WHEELERS AUTO TYRES



TYRE SIZE	
10"	4.50-10



MR 806+

KARISMA SUPER

SCOOTER & MOTORCYCLE TYRES



TYRE SIZE	
8"	3.50-8
10"	2.75-10



MR 833

M94

SCOOTER & MOTORCYCLE TYRES



TYRE SIZE	
10"	3.00-10



MT 913

ANTI SKID

SCOOTER & MOTORCYCLE TYRES



MT 914

MAX MILER

TYRE SIZE

17"

2.75-17

18"

2.75-18



SCOOTER & MOTORCYCLE TYRES



MT 911

SAFARI+

TYRE SIZE

10"

90/100-10



SCOOTER & MOTORCYCLE TYRES



MT 912

DABANG+

TYRE SIZE

10"

90/100-10



SCOOTER & MOTORCYCLE TYRES



TYRE SIZE	
17"	2.75-17
18"	2.75-18



MT 909 RIB

SCOOTER & MOTORCYCLE TYRES



TYRE SIZE	
17"	3.00-17
	100/90-17



MT 908 FIRE-X

SCOOTER & MOTORCYCLE TYRES



TYRE SIZE	
17"	100/90-17
	120/80-17
	140/70-17



MT 907 FIRE-ZEE

SCOOTER & MOTORCYCLE TYRES



MT 905

RANGER

TYRE SIZE

18"

2.75-18

3.00-18



SCOOTER & MOTORCYCLE TYRES



MT 906

XGRIP

TYRE SIZE

17"

3.00-17

18"

2.75-18

3.00-18

100/90-18



SCOOTER & MOTORCYCLE TYRES



MT 910

HI GRIP+

TYRE SIZE

17"

3.00-17

100/90-17

18"

2.75-18

3.00-18

100/90-18

19"

3.25-19



SCOOTER & MOTORCYCLE TYRES



TYRE SIZE	
17"	3.00-17
18"	3.00-18
19"	3.25-19

MR 779

HI-GRIP

SCOOTER & MOTORCYCLE TYRES



TYRE SIZE	
18"	3.00-18
19"	3.25-19

MR 797

M95



ELECTRIC RICKSHAW TYRES



MT 911

SAFARI+

TYRE SIZE

10"

3.50-10

12"

90/90-12



E - RICKSHAW

ELECTRIC RICKSHAW TYRES



MT 910

HI GRIP +

TYRE SIZE

12"

3.75-12



E - RICKSHAW

ELECTRIC RICKSHAW TYRES



ML 653

HAATHI

TYRE SIZE

12"

4.00-12



E - RICKSHAW

ELECTRIC RICKSHAW TYRES



TYRE SIZE	
12"	
	90/90-12



E - RICKSHAW

MT 912

DABANG +

ELECTRIC RICKSHAW TYRES



TYRE SIZE	
14"	
	3.00-14



E - RICKSHAW

MT 906

X GRIP

SOLID TYRES RANGE



SOLID TYRES RANGE


LUG
RIB
SMOOTH

GRADE FEATURES

Grade MRL	Application Per Day	Layer Construction	Operation	Duty
Platina	10-12 Hours	2 Layer	Intermittent	Light Duty
Platina Pro	15 Hours	2 Layer	Intermittent	Light Duty
Ultima Pro	20 Hours	3 Layer	Continuous use	Medium Duty
Ultima Star	24 Hours	3 Layer	Continuous use	Heavy Duty

	Grade MRL	Pattern	Rim Size	Operation	Duty	Tyre Size	Pattern Name	Application Per Day	Layer Construction
4	Platina	RIB	2.10	Intermittent	Light Duty	3.00-4	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	RIB	2.10	Intermittent	Light Duty	3.00-4	Standard Solid	15 Hours	2 Layer
	Ultima Pro	RIB	2.10	Continuous use	Medium Duty	3.00-4	Standard Solid	20 Hours	3 Layer
	Ultima Star	RIB	2.10	Continuous use	Heavy Duty	3.00-4	Standard Solid	24 Hours	3 Layer
	Platina	RIB	2.10	Intermittent	Light Duty	3.00-4	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	RIB	2.10	Intermittent	Light Duty	3.00-4	LIP Solid	15 Hours	2 Layer
	Ultima Pro	RIB	2.10	Continuous use	Medium Duty	3.00-4	LIP Solid	20 Hours	3 Layer
	Ultima Star	RIB	2.10	Continuous use	Heavy Duty	3.00-4	LIP Solid	24 Hours	3 Layer
	Platina Pro	RIB	2.10	Intermittent	Light Duty	3.00-4	NM STANDARD	15 Hours	2 Layer
	Ultima Star	RIB	2.10	Continuous use	Heavy Duty	3.00-4	NM STANDARD	24 Hours	3 Layer
	Platina Pro	RIB	2.10	Intermittent	Light Duty	3.00-4	NM LIP	15 Hours	2 Layer
	Ultima Star	RIB	2.10	Continuous use	Heavy Duty	3.00-4	NM LIP	24 Hours	3 Layer
	Platina	RIB	2.10	Intermittent	Light Duty	3.50-4	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	RIB	2.10	Intermittent	Light Duty	3.50-4	Standard Solid	15 Hours	2 Layer
	Ultima Pro	RIB	2.10	Continuous use	Medium Duty	3.50-4	Standard Solid	20 Hours	3 Layer
	Ultima Star	RIB	2.10	Continuous use	Heavy Duty	3.50-4	Standard Solid	24 Hours	3 Layer
	Platina	RIB	2.10	Intermittent	Light Duty	3.50-4	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	RIB	2.10	Intermittent	Light Duty	3.50-4	LIP Solid	15 Hours	2 Layer
	Ultima Pro	RIB	2.10	Continuous use	Medium Duty	3.50-4	LIP Solid	20 Hours	3 Layer
	Ultima Star	RIB	2.10	Continuous use	Heavy Duty	3.50-4	LIP Solid	24 Hours	3 Layer
	Platina Pro	RIB	2.10	Intermittent	Light Duty	3.50-4	NM STANDARD	15 Hours	2 Layer
	Ultima Star	RIB	2.10	Continuous use	Heavy Duty	3.50-4	NM STANDARD	24 Hours	3 Layer
	Platina Pro	RIB	2.10	Intermittent	Light Duty	3.50-4	NM LIP	15 Hours	2 Layer
	Ultima Star	RIB	2.10	Continuous use	Heavy Duty	3.50-4	NM LIP	24 Hours	3 Layer
	Platina	LUG	2.50	Intermittent	Light Duty	4.00-4	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	2.50	Intermittent	Light Duty	4.00-4	Standard Solid	15 Hours	2 Layer
	Ultima Pro	LUG	2.50	Continuous use	Medium Duty	4.00-4	Standard Solid	20 Hours	3 Layer

SOLID TYRES RANGE

	Grade MRL	Pattern	Rim Size	Operation	Duty	Tyre Size	Pattern Name	Application Per Day	Layer Construction
4	Ultima Star	LUG	2.50	Continuous use	Heavy Duty	4.00-4	Standard Solid	24 Hours	3 Layer
	Platina	LUG	2.50	Intermittent	Light Duty	4.00-4	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	2.50	Intermittent	Light Duty	4.00-4	LIP Solid	15 Hours	2 Layer
	Ultima Pro	LUG	2.50	Continuous use	Medium Duty	4.00-4	LIP Solid	20 Hours	3 Layer
	Ultima Star	LUG	2.50	Continuous use	Heavy Duty	4.00-4	LIP Solid	24 Hours	3 Layer
	Platina Pro	LUG	2.50	Intermittent	Light Duty	4.00-4	NM STANDARD	15 Hours	2 Layer
	Ultima Star	LUG	2.50	Continuous use	Heavy Duty	4.00-4	NM STANDARD	24 Hours	3 Layer
	Platina Pro	LUG	2.50	Intermittent	Light Duty	4.00-4	NM LIP	15 Hours	2 Layer
	Ultima Star	LUG	2.50	Continuous use	Heavy Duty	4.00-4	NM LIP	24 Hours	3 Layer
6	Platina	LUG	4.50	Intermittent	Light Duty	140/55-6	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	4.50	Intermittent	Light Duty	140/55-6	Standard Solid	15 Hours	2 Layer
	Ultima Pro	LUG	4.50	Continuous use	Medium Duty	140/55-6	Standard Solid	20 Hours	3 Layer
	Ultima Star	LUG	4.50	Continuous use	Heavy Duty	140/55-6	Standard Solid	24 Hours	3 Layer
	Platina	LUG	4.50	Intermittent	Light Duty	140/55-6	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	4.50	Intermittent	Light Duty	140/55-6	LIP Solid	15 Hours	2 Layer
	Ultima Pro	LUG	4.50	Continuous use	Medium Duty	140/55-6	LIP Solid	20 Hours	3 Layer
	Ultima Star	LUG	4.50	Continuous use	Heavy Duty	140/55-6	LIP Solid	24 Hours	3 Layer
	Platina Pro	LUG	4.50	Intermittent	Light Duty	140/55-6	NM STANDARD	15 Hours	2 Layer
	Ultima Star	LUG	4.50	Continuous use	Heavy Duty	140/55-6	NM STANDARD	24 Hours	3 Layer
	Platina Pro	LUG	4.50	Intermittent	Light Duty	140/55-6	NM LIP	15 Hours	2 Layer
	Ultima Star	LUG	4.50	Continuous use	Heavy Duty	140/55-6	NM LIP	24 Hours	3 Layer
	Platina	LUG	2.75	Intermittent	Light Duty	4.00-8	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	2.75	Intermittent	Light Duty	4.00-8	Standard Solid	15 Hours	2 Layer
	Ultima Pro	LUG	2.75	Continuous use	Medium Duty	4.00-8	Standard Solid	20 Hours	3 Layer
	Ultima Star	LUG	2.75	Continuous use	Heavy Duty	4.00-8	Standard Solid	24 Hours	3 Layer
8	Platina	LUG	2.75	Intermittent	Light Duty	4.00-8	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	2.75	Intermittent	Light Duty	4.00-8	LIP Solid	15 Hours	2 Layer
	Ultima Pro	LUG	2.75	Continuous use	Medium Duty	4.00-8	LIP Solid	20 Hours	3 Layer
	Ultima Star	LUG	2.75	Continuous use	Heavy Duty	4.00-8	LIP Solid	24 Hours	3 Layer
	Platina	LUG	2.75	Intermittent	Light Duty	4.00-8	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	2.75	Intermittent	Light Duty	4.00-8	LIP Solid	15 Hours	2 Layer
	Ultima Pro	LUG	2.75	Continuous use	Medium Duty	4.00-8	LIP Solid	20 Hours	3 Layer
	Ultima Star	LUG	2.75	Continuous use	Heavy Duty	4.00-8	LIP Solid	24 Hours	3 Layer
	Platina Pro	LUG	2.75	Intermittent	Light Duty	4.00-8	NM STANDARD	15 Hours	2 Layer
	Ultima Star	LUG	2.75	Continuous use	Heavy Duty	4.00-8	NM STANDARD	24 Hours	3 Layer
	Platina Pro	LUG	2.75	Intermittent	Light Duty	4.00-8	NM LIP	15 Hours	2 Layer
	Ultima Star	LUG	2.75	Continuous use	Heavy Duty	4.00-8	NM LIP	24 Hours	3 Layer
	Platina	RIB	2.75	Intermittent	Light Duty	4.00-8	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	RIB	2.75	Intermittent	Light Duty	4.00-8	Standard Solid	15 Hours	2 Layer
	Ultima Pro	RIB	2.75	Continuous use	Medium Duty	4.00-8	Standard Solid	20 Hours	3 Layer
	Ultima Star	RIB	2.75	Continuous use	Heavy Duty	4.00-8	Standard Solid	24 Hours	3 Layer
	Platina	RIB	2.75	Intermittent	Light Duty	4.00-8	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	RIB	2.75	Intermittent	Light Duty	4.00-8	LIP Solid	15 Hours	2 Layer
	Ultima Pro	RIB	2.75	Continuous use	Medium Duty	4.00-8	LIP Solid	20 Hours	3 Layer
	Ultima Star	RIB	2.75	Continuous use	Heavy Duty	4.00-8	LIP Solid	24 Hours	3 Layer
	Platina Pro	RIB	2.75	Intermittent	Light Duty	4.00-8	NM STANDARD	15 Hours	2 Layer
	Ultima Star	RIB	2.75	Continuous use	Heavy Duty	4.00-8	NM STANDARD	24 Hours	3 Layer
	Platina Pro	RIB	2.75	Intermittent	Light Duty	4.00-8	NM LIP	15 Hours	2 Layer
	Ultima Star	RIB	2.75	Continuous use	Heavy Duty	4.00-8	NM LIP	24 Hours	3 Layer
	Platina	LUG	3.00	Intermittent	Light Duty	4.00-8	Standard Solid	10-12 Hours	2 Layer

SOLID TYRES RANGE

8

Grade MRL	Pattern	Rim Size	Operation	Duty	Tyre Size	Pattern Name	Application Per Day	Layer Construction
Platina Pro	LUG	3.00	Intermittent	Light Duty	4.00-8	Standard Solid	15 Hours	2 Layer
Ultima Pro	LUG	3.00	Continuous use	Medium Duty	4.00-8	Standard Solid	20 Hours	3 Layer
Ultima Star	LUG	3.00	Continuous use	Heavy Duty	4.00-8	Standard Solid	24 Hours	3 Layer
Platina	LUG	3.00	Intermittent	Light Duty	4.00-8	LIP Solid	10-12 Hours	2 Layer
Platina Pro	LUG	3.00	Intermittent	Light Duty	4.00-8	LIP Solid	15 Hours	2 Layer
Ultima Pro	LUG	3.00	Continuous use	Medium Duty	4.00-8	LIP Solid	20 Hours	3 Layer
Ultima Star	LUG	3.00	Continuous use	Heavy Duty	4.00-8	LIP Solid	24 Hours	3 Layer
Platina Pro	LUG	3.00	Intermittent	Light Duty	4.00-8	NM STANDARD	15 Hours	2 Layer
Ultima Star	LUG	3.00	Continuous use	Heavy Duty	4.00-8	NM STANDARD	24 Hours	3 Layer
Platina Pro	LUG	3.00	Intermittent	Light Duty	4.00-8	NM LIP	15 Hours	2 Layer
Ultima Star	LUG	3.00	Continuous use	Heavy Duty	4.00-8	NM LIP	24 Hours	3 Layer
Platina	RIB	3.00	Intermittent	Light Duty	4.00-8	Standard Solid	10-12 Hours	2 Layer
Platina Pro	RIB	3.00	Intermittent	Light Duty	4.00-8	Standard Solid	15 Hours	2 Layer
Ultima Pro	RIB	3.00	Continuous use	Medium Duty	4.00-8	Standard Solid	20 Hours	3 Layer
Ultima Star	RIB	3.00	Continuous use	Heavy Duty	4.00-8	Standard Solid	24 Hours	3 Layer
Platina	RIB	3.00	Intermittent	Light Duty	4.00-8	LIP Solid	10-12 Hours	2 Layer
Platina Pro	RIB	3.00	Intermittent	Light Duty	4.00-8	LIP Solid	15 Hours	2 Layer
Ultima Pro	RIB	3.00	Continuous use	Medium Duty	4.00-8	LIP Solid	20 Hours	3 Layer
Ultima Star	RIB	3.00	Continuous use	Heavy Duty	4.00-8	LIP Solid	24 Hours	3 Layer
Platina Pro	RIB	3.00	Intermittent	Light Duty	4.00-8	NM STANDARD	15 Hours	2 Layer
Ultima Star	RIB	3.00	Continuous use	Heavy Duty	4.00-8	NM STANDARD	24 Hours	3 Layer
Platina Pro	RIB	3.00	Intermittent	Light Duty	4.00-8	NM LIP	15 Hours	2 Layer
Ultima Star	RIB	3.00	Continuous use	Heavy Duty	4.00-8	NM LIP	24 Hours	3 Layer
Platina	RIB	3.75	Intermittent	Light Duty	4.00-8	Standard Solid	10-12 Hours	2 Layer
Platina Pro	RIB	3.75	Intermittent	Light Duty	4.00-8	Standard Solid	15 Hours	2 Layer
Ultima Pro	RIB	3.75	Continuous use	Medium Duty	4.00-8	Standard Solid	20 Hours	3 Layer
Ultima Star	RIB	3.75	Continuous use	Heavy Duty	4.00-8	Standard Solid	24 Hours	3 Layer
Platina	RIB	3.75	Intermittent	Light Duty	4.00-8	LIP Solid	10-12 Hours	2 Layer
Platina Pro	RIB	3.75	Intermittent	Light Duty	4.00-8	LIP Solid	15 Hours	2 Layer
Ultima Pro	RIB	3.75	Continuous use	Medium Duty	4.00-8	LIP Solid	20 Hours	3 Layer
Ultima Star	RIB	3.75	Continuous use	Heavy Duty	4.00-8	LIP Solid	24 Hours	3 Layer
Platina Pro	RIB	3.75	Intermittent	Light Duty	4.00-8	NM STANDARD	15 Hours	2 Layer
Ultima Star	RIB	3.75	Continuous use	Heavy Duty	4.00-8	NM STANDARD	24 Hours	3 Layer
Platina Pro	RIB	3.75	Intermittent	Light Duty	4.00-8	NM LIP	15 Hours	2 Layer
Ultima Star	RIB	3.75	Continuous use	Heavy Duty	4.00-8	NM LIP	24 Hours	3 Layer
Platina	SM	3.00	Intermittent	Light Duty	12x3 1/2-8	Standard Solid	10-12 Hours	2 Layer
Platina Pro	SM	3.00	Intermittent	Light Duty	12x3 1/2-8	Standard Solid	15 Hours	2 Layer
Ultima Pro	SM	3.00	Continuous use	Medium Duty	12x3 1/2-8	Standard Solid	20 Hours	3 Layer
Ultima Star	SM	3.00	Continuous use	Heavy Duty	12x3 1/2-8	Standard Solid	24 Hours	3 Layer
Platina	SM	3.00	Intermittent	Light Duty	12x3 1/2-8	LIP Solid	10-12 Hours	2 Layer
Platina Pro	SM	3.00	Intermittent	Light Duty	12x3 1/2-8	LIP Solid	15 Hours	2 Layer
Ultima Pro	SM	3.00	Continuous use	Medium Duty	12x3 1/2-8	LIP Solid	20 Hours	3 Layer
Ultima Star	SM	3.00	Continuous use	Heavy Duty	12x3 1/2-8	LIP Solid	24 Hours	3 Layer
Platina Pro	SM	3.00	Intermittent	Light Duty	12x3 1/2-8	NM STANDARD	15 Hours	2 Layer
Ultima Star	SM	3.00	Continuous use	Heavy Duty	12x3 1/2-8	NM STANDARD	24 Hours	3 Layer
Platina Pro	SM	3.00	Intermittent	Light Duty	12x3 1/2-8	NM LIP	15 Hours	2 Layer

SOLID TYRES RANGE

	Grade MRL	Pattern	Rim Size	Operation	Duty	Tyre Size	Pattern Name	Application Per Day	Layer Construction
8	Ultima Star	SM	3.00	Continuous use	Heavy Duty	12x3 1/2-8	NM LIP	24 Hours	3 Layer
	Platina	SM	2.50	Intermittent	Light Duty	100/80-8	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	SM	2.50	Intermittent	Light Duty	100/80-8	Standard Solid	15 Hours	2 Layer
	Ultima Pro	SM	2.50	Continuous use	Medium Duty	100/80-8	Standard Solid	20 Hours	3 Layer
	Ultima Star	SM	2.50	Continuous use	Heavy Duty	100/80-8	Standard Solid	24 Hours	3 Layer
	Platina	SM	2.50	Intermittent	Light Duty	100/80-8	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	SM	2.50	Intermittent	Light Duty	100/80-8	LIP Solid	15 Hours	2 Layer
	Ultima Pro	SM	2.50	Continuous use	Medium Duty	100/80-8	LIP Solid	20 Hours	3 Layer
	Ultima Star	SM	2.50	Continuous use	Heavy Duty	100/80-8	LIP Solid	24 Hours	3 Layer
	Platina Pro	SM	2.50	Intermittent	Light Duty	100/80-8	NM STANDARD	15 Hours	2 Layer
	Ultima Star	SM	2.50	Continuous use	Heavy Duty	100/80-8	NM STANDARD	24 Hours	3 Layer
	Platina Pro	SM	2.50	Intermittent	Light Duty	100/80-8	NM LIP	15 Hours	2 Layer
	Ultima Star	SM	2.50	Continuous use	Heavy Duty	100/80-8	NM LIP	24 Hours	3 Layer
	Platina	LUG	2.50	Intermittent	Light Duty	15x4 1/2-8	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	2.50	Intermittent	Light Duty	15x4 1/2-8	Standard Solid	15 Hours	2 Layer
	Ultima Pro	LUG	2.50	Continuous use	Medium Duty	15x4 1/2-8	Standard Solid	20 Hours	3 Layer
	Ultima Star	LUG	2.50	Continuous use	Heavy Duty	15x4 1/2-8	Standard Solid	24 Hours	3 Layer
	Platina	LUG	2.50	Intermittent	Light Duty	15x4 1/2-8	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	2.50	Intermittent	Light Duty	15x4 1/2-8	LIP Solid	15 Hours	2 Layer
	Ultima Pro	LUG	2.50	Continuous use	Medium Duty	15x4 1/2-8	LIP Solid	20 Hours	3 Layer
	Ultima Star	LUG	2.50	Continuous use	Heavy Duty	15x4 1/2-8	LIP Solid	24 Hours	3 Layer
	Platina Pro	LUG	2.50	Intermittent	Light Duty	15x4 1/2-8	NM STANDARD	15 Hours	2 Layer
	Ultima Star	LUG	2.50	Continuous use	Heavy Duty	15x4 1/2-8	NM STANDARD	24 Hours	3 Layer
	Platina Pro	LUG	2.50	Intermittent	Light Duty	15x4 1/2-8	NM LIP	15 Hours	2 Layer
	Ultima Star	LUG	2.50	Continuous use	Heavy Duty	15x4 1/2-8	NM LIP	24 Hours	3 Layer
	Platina	LUG	3.00	Intermittent	Light Duty	15x4 1/2-8	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	3.00	Intermittent	Light Duty	15x4 1/2-8	Standard Solid	15 Hours	2 Layer
	Ultima Pro	LUG	3.00	Continuous use	Medium Duty	15x4 1/2-8	Standard Solid	20 Hours	3 Layer
	Ultima Star	LUG	3.00	Continuous use	Heavy Duty	15x4 1/2-8	Standard Solid	24 Hours	3 Layer
	Platina	LUG	3.00	Intermittent	Light Duty	15x4 1/2-8	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	3.00	Intermittent	Light Duty	15x4 1/2-8	LIP Solid	15 Hours	2 Layer
	Ultima Pro	LUG	3.00	Continuous use	Medium Duty	15x4 1/2-8	LIP Solid	20 Hours	3 Layer
	Ultima Star	LUG	3.00	Continuous use	Heavy Duty	15x4 1/2-8	LIP Solid	24 Hours	3 Layer
	Platina Pro	LUG	3.00	Intermittent	Light Duty	15x4 1/2-8	NM STANDARD	15 Hours	2 Layer
	Ultima Star	LUG	3.00	Continuous use	Heavy Duty	15x4 1/2-8	NM STANDARD	24 Hours	3 Layer
	Platina Pro	LUG	3.00	Intermittent	Light Duty	15x4 1/2-8	NM LIP	15 Hours	2 Layer
	Ultima Star	LUG	3.00	Continuous use	Heavy Duty	15x4 1/2-8	NM LIP	24 Hours	3 Layer
	Platina	SM	3.00	Intermittent	Light Duty	15X4 1/2-8	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	SM	3.00	Intermittent	Light Duty	15X4 1/2-8	Standard Solid	15 Hours	2 Layer
	Ultima Pro	SM	3.00	Continuous use	Medium Duty	15X4 1/2-8	Standard Solid	20 Hours	3 Layer
	Ultima Star	SM	3.00	Continuous use	Heavy Duty	15X4 1/2-8	Standard Solid	24 Hours	3 Layer
	Platina	SM	3.00	Intermittent	Light Duty	15X4 1/2-8	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	SM	3.00	Intermittent	Light Duty	15X4 1/2-8	LIP Solid	15 Hours	2 Layer
	Ultima Pro	SM	3.00	Continuous use	Medium Duty	15X4 1/2-8	LIP Solid	20 Hours	3 Layer
	Ultima Star	SM	3.00	Continuous use	Heavy Duty	15X4 1/2-8	LIP Solid	24 Hours	3 Layer
	Platina Pro	SM	3.00	Intermittent	Light Duty	15X4 1/2-8	NM STANDARD	15 Hours	2 Layer
	Ultima Star	SM	3.00	Continuous use	Heavy Duty	15X4 1/2-8	NM STANDARD	24 Hours	3 Layer

SOLID TYRES RANGE

8

Grade MRL	Pattern	Rim Size	Operation	Duty	Tyre Size	Pattern Name	Application Per Day	Layer Construction
Platina Pro	SM	3.00	Intermittent	Light Duty	15X4 1/2-8	NM LIP	15 Hours	2 Layer
Ultima Star	SM	3.00	Continuous use	Heavy Duty	15X4 1/2-8	NM LIP	24 Hours	3 Layer
Platina	LUG	3.25	Intermittent	Light Duty	15X4 1/2-8	Standard Solid	10-12 Hours	2 Layer
Platina Pro	LUG	3.25	Intermittent	Light Duty	15X4 1/2-8	Standard Solid	15 Hours	2 Layer
Ultima Pro	LUG	3.25	Continuous use	Medium Duty	15X4 1/2-8	Standard Solid	20 Hours	3 Layer
Ultima Star	LUG	3.25	Continuous use	Heavy Duty	15X4 1/2-8	Standard Solid	24 Hours	3 Layer
Platina	LUG	3.25	Intermittent	Light Duty	15X4 1/2-8	LIP Solid	10-12 Hours	2 Layer
Platina Pro	LUG	3.25	Intermittent	Light Duty	15X4 1/2-8	LIP Solid	15 Hours	2 Layer
Ultima Pro	LUG	3.25	Continuous use	Medium Duty	15X4 1/2-8	LIP Solid	20 Hours	3 Layer
Ultima Star	LUG	3.25	Continuous use	Heavy Duty	15X4 1/2-8	LIP Solid	24 Hours	3 Layer
Platina Pro	LUG	3.25	Intermittent	Light Duty	15X4 1/2-8	NM STANDARD	15 Hours	2 Layer
Ultima Star	LUG	3.25	Continuous use	Heavy Duty	15X4 1/2-8	NM STANDARD	24 Hours	3 Layer
Platina Pro	LUG	3.25	Intermittent	Light Duty	15X4 1/2-8	NM LIP	15 Hours	2 Layer
Ultima Star	LUG	3.25	Continuous use	Heavy Duty	15X4 1/2-8	NM LIP	24 Hours	3 Layer
Platina	SM	3.25	Intermittent	Light Duty	15x4 1/2-8	Standard Solid	10-12 Hours	2 Layer
Platina Pro	SM	3.25	Intermittent	Light Duty	15x4 1/2-8	Standard Solid	15 Hours	2 Layer
Ultima Pro	SM	3.25	Continuous use	Medium Duty	15x4 1/2-8	Standard Solid	20 Hours	3 Layer
Ultima Star	SM	3.25	Continuous use	Heavy Duty	15x4 1/2-8	Standard Solid	24 Hours	3 Layer
Platina	SM	3.25	Intermittent	Light Duty	15x4 1/2-8	LIP Solid	10-12 Hours	2 Layer
Platina Pro	SM	3.25	Intermittent	Light Duty	15x4 1/2-8	LIP Solid	15 Hours	2 Layer
Ultima Pro	SM	3.25	Continuous use	Medium Duty	15x4 1/2-8	LIP Solid	20 Hours	3 Layer
Ultima Star	SM	3.25	Continuous use	Heavy Duty	15x4 1/2-8	LIP Solid	24 Hours	3 Layer
Platina Pro	SM	3.25	Intermittent	Light Duty	15x4 1/2-8	NM STANDARD	15 Hours	2 Layer
Ultima Star	SM	3.25	Continuous use	Heavy Duty	15x4 1/2-8	NM STANDARD	24 Hours	3 Layer
Platina Pro	SM	3.25	Intermittent	Light Duty	15x4 1/2-8	NM LIP	15 Hours	2 Layer
Ultima Star	SM	3.25	Continuous use	Heavy Duty	15x4 1/2-8	NM LIP	24 Hours	3 Layer
Platina	LUG	3.00	Intermittent	Light Duty	5.00-8	Standard Solid	10-12 Hours	2 Layer
Platina Pro	LUG	3.00	Intermittent	Light Duty	5.00-8	Standard Solid	15 Hours	2 Layer
Ultima Pro	LUG	3.00	Continuous use	Medium Duty	5.00-8	Standard Solid	20 Hours	3 Layer
Ultima Star	LUG	3.00	Continuous use	Heavy Duty	5.00-8	Standard Solid	24 Hours	3 Layer
Platina	LUG	3.00	Intermittent	Light Duty	5.00-8	LIP Solid	10-12 Hours	2 Layer
Platina Pro	LUG	3.00	Intermittent	Light Duty	5.00-8	LIP Solid	15 Hours	2 Layer
Ultima Pro	LUG	3.00	Continuous use	Medium Duty	5.00-8	LIP Solid	20 Hours	3 Layer
Ultima Star	LUG	3.00	Continuous use	Heavy Duty	5.00-8	LIP Solid	24 Hours	3 Layer
Platina Pro	LUG	3.00	Intermittent	Light Duty	5.00-8	NM STANDARD	15 Hours	2 Layer
Ultima Star	LUG	3.00	Continuous use	Heavy Duty	5.00-8	NM STANDARD	24 Hours	3 Layer
Platina Pro	LUG	3.00	Intermittent	Light Duty	5.00-8	NM LIP	15 Hours	2 Layer
Ultima Star	LUG	3.00	Continuous use	Heavy Duty	5.00-8	NM LIP	24 Hours	3 Layer
Platina	RIB	3.75,3.00	Intermittent	Light Duty	5.00-8	Standard Solid	10-12 Hours	2 Layer
Platina Pro	RIB	3.75,3.00	Intermittent	Light Duty	5.00-8	Standard Solid	15 Hours	2 Layer
Ultima Pro	RIB	3.75,3.00	Continuous use	Medium Duty	5.00-8	Standard Solid	20 Hours	3 Layer
Ultima Star	RIB	3.75,3.00	Continuous use	Heavy Duty	5.00-8	Standard Solid	24 Hours	3 Layer
Platina	RIB	3.75,3.00	Intermittent	Light Duty	5.00-8	LIP Solid	10-12 Hours	2 Layer
Platina Pro	RIB	3.75,3.00	Intermittent	Light Duty	5.00-8	LIP Solid	15 Hours	2 Layer
Ultima Pro	RIB	3.75,3.00	Continuous use	Medium Duty	5.00-8	LIP Solid	20 Hours	3 Layer
Ultima Star	RIB	3.75,3.00	Continuous use	Heavy Duty	5.00-8	LIP Solid	24 Hours	3 Layer
Platina Pro	RIB	3.75,3.00	Intermittent	Light Duty	5.00-8	NM STANDARD	15 Hours	2 Layer

SOLID TYRES RANGE

	Grade MRL	Pattern	Rim Size	Operation	Duty	Tyre Size	Pattern Name	Application Per Day	Layer Construction
8	Ultima Star	RIB	3.75,3.00	Continuous use	Heavy Duty	5.00-8	NM STANDARD	24 Hours	3 Layer
	Platina Pro	RIB	3.75,3.00	Intermittent	Light Duty	5.00-8	NM LIP	15 Hours	2 Layer
	Ultima Star	RIB	3.75,3.00	Continuous use	Heavy Duty	5.00-8	NM LIP	24 Hours	3 Layer
	Platina	LUG	4.33	Intermittent	Light Duty	16x6-8	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	4.33	Intermittent	Light Duty	16x6-8	Standard Solid	15 Hours	2 Layer
	Ultima Pro	LUG	4.33	Continuous use	Medium Duty	16x6-8	Standard Solid	20 Hours	3 Layer
	Ultima Star	LUG	4.33	Continuous use	Heavy Duty	16x6-8	Standard Solid	24 Hours	3 Layer
	Platina	LUG	4.33	Intermittent	Light Duty	16x6-8	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	4.33	Intermittent	Light Duty	16x6-8	LIP Solid	15 Hours	2 Layer
	Ultima Pro	LUG	4.33	Continuous use	Medium Duty	16x6-8	LIP Solid	20 Hours	3 Layer
	Ultima Star	LUG	4.33	Continuous use	Heavy Duty	16x6-8	LIP Solid	24 Hours	3 Layer
	Platina Pro	LUG	4.33	Intermittent	Light Duty	16x6-8	NM STANDARD White	15 Hours	2 Layer
	Platina Pro	LUG	4.33	Intermittent	Light Duty	16x6-8	NM STANDARD Grey	15 Hours	2 Layer
	Ultima Star	LUG	4.33	Continuous use	Heavy Duty	16x6-8	NM STANDARD	24 Hours	3 Layer
	Platina Pro	LUG	4.33	Intermittent	Light Duty	16x6-8	NM LIP	15 Hours	2 Layer
	Ultima Star	LUG	4.33	Continuous use	Heavy Duty	16x6-8	NM LIP	24 Hours	3 Layer
	Platina	SM	4.33	Intermittent	Light Duty	17x7-8	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	SM	4.33	Intermittent	Light Duty	17x7-8	Standard Solid	15 Hours	2 Layer
	Ultima Pro	SM	4.33	Continuous use	Medium Duty	17x7-8	Standard Solid	20 Hours	3 Layer
	Ultima Star	SM	4.33	Continuous use	Heavy Duty	17x7-8	Standard Solid	24 Hours	3 Layer
	Platina	SM	4.33	Intermittent	Light Duty	17x7-8	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	SM	4.33	Intermittent	Light Duty	17x7-8	LIP Solid	15 Hours	2 Layer
	Ultima Pro	SM	4.33	Continuous use	Medium Duty	17x7-8	LIP Solid	20 Hours	3 Layer
	Ultima Star	SM	4.33	Continuous use	Heavy Duty	17x7-8	LIP Solid	24 Hours	3 Layer
	Platina Pro	SM	4.33	Intermittent	Light Duty	17x7-8	NM STANDARD	15 Hours	2 Layer
	Ultima Star	SM	4.33	Continuous use	Heavy Duty	17x7-8	NM STANDARD	24 Hours	3 Layer
	Platina Pro	SM	4.33	Intermittent	Light Duty	17x7-8	NM LIP	15 Hours	2 Layer
	Ultima Star	SM	4.33	Continuous use	Heavy Duty	17x7-8	NM LIP	24 Hours	3 Layer
	Platina	LUG	4.33	Intermittent	Light Duty	18x7-8	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	4.33	Intermittent	Light Duty	18x7-8	Standard Solid	15 Hours	2 Layer
	Ultima Pro	LUG	4.33	Continuous use	Medium Duty	18x7-8	Standard Solid	20 Hours	3 Layer
	Ultima Star	LUG	4.33	Continuous use	Heavy Duty	18x7-8	Standard Solid	24 Hours	3 Layer
	Platina	LUG	4.33	Intermittent	Light Duty	18x7-8	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	4.33	Intermittent	Light Duty	18x7-8	LIP Solid	15 Hours	2 Layer
	Ultima Pro	LUG	4.33	Continuous use	Medium Duty	18x7-8	LIP Solid	20 Hours	3 Layer
	Ultima Star	LUG	4.33	Continuous use	Heavy Duty	18x7-8	LIP Solid	24 Hours	3 Layer
	Platina Pro	LUG	4.33	Intermittent	Light Duty	18x7-8	NM STANDARD White	15 Hours	2 Layer
	Platina Pro	LUG	4.33	Intermittent	Light Duty	18x7-8	NM STANDARD Grey	15 Hours	2 Layer
	Ultima Star	LUG	4.33	Continuous use	Heavy Duty	18x7-8	NM STANDARD	24 Hours	3 Layer
	Platina Pro	LUG	4.33	Intermittent	Light Duty	18x7-8	NM LIP	15 Hours	2 Layer
	Ultima Star	LUG	4.33	Continuous use	Heavy Duty	18x7-8	NM LIP	24 Hours	3 Layer
9	Platina	LUG	4.00	Intermittent	Light Duty	140/55-9	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	4.00	Intermittent	Light Duty	140/55-9	Standard Solid	15 Hours	2 Layer
	Ultima Pro	LUG	4.00	Continuous use	Medium Duty	140/55-9	Standard Solid	20 Hours	3 Layer
	Ultima Star	LUG	4.00	Continuous use	Heavy Duty	140/55-9	Standard Solid	24 Hours	3 Layer
	Platina	LUG	4.00	Intermittent	Light Duty	140/55-9	LIP Solid	10-12 Hours	2 Layer

SOLID TYRES RANGE

	Grade MRL	Pattern	Rim Size	Operation	Duty	Tyre Size	Pattern Name	Application Per Day	Layer Construction
9	Platina Pro	LUG	4.00	Intermittent	Light Duty	140/55-9	LIP Solid	15 Hours	2 Layer
	Ultima Pro	LUG	4.00	Continuous use	Medium Duty	140/55-9	LIP Solid	20 Hours	3 Layer
	Ultima Star	LUG	4.00	Continuous use	Heavy Duty	140/55-9	LIP Solid	24 Hours	3 Layer
	Platina Pro	LUG	4.00	Intermittent	Light Duty	140/55-9	NM STANDARD	15 Hours	2 Layer
	Ultima Star	LUG	4.00	Continuous use	Heavy Duty	140/55-9	NM STANDARD	24 Hours	3 Layer
	Platina Pro	LUG	4.00	Intermittent	Light Duty	140/55-9	NM LIP	15 Hours	2 Layer
	Ultima Star	LUG	4.00	Continuous use	Heavy Duty	140/55-9	NM LIP	24 Hours	3 Layer
	Platina	LUG	4.00	Intermittent	Light Duty	6.00-9	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	4.00	Intermittent	Light Duty	6.00-9	Standard Solid	15 Hours	2 Layer
	Ultima Pro	LUG	4.00	Continuous use	Medium Duty	6.00-9	Standard Solid	20 Hours	3 Layer
	Ultima Star	LUG	4.00	Continuous use	Heavy Duty	6.00-9	Standard Solid	24 Hours	3 Layer
	Platina	LUG	4.00	Intermittent	Light Duty	6.00-9	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	4.00	Intermittent	Light Duty	6.00-9	LIP Solid	15 Hours	2 Layer
	Ultima Pro	LUG	4.00	Continuous use	Medium Duty	6.00-9	LIP Solid	20 Hours	3 Layer
	Ultima Star	LUG	4.00	Continuous use	Heavy Duty	6.00-9	LIP Solid	24 Hours	3 Layer
	Platina Pro	LUG	4.00	Intermittent	Light Duty	6.00-9	NM STANDARD	15 Hours	2 Layer
	Ultima Star	LUG	4.00	Continuous use	Heavy Duty	6.00-9	NM STANDARD	24 Hours	3 Layer
	Platina Pro	LUG	4.00	Intermittent	Light Duty	6.00-9	NM LIP	15 Hours	2 Layer
	Ultima Star	LUG	4.00	Continuous use	Heavy Duty	6.00-9	NM LIP	24 Hours	3 Layer
	Platina	LUG	6.00	Intermittent	Light Duty	21x8-9	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	6.00	Intermittent	Light Duty	21x8-9	Standard Solid	15 Hours	2 Layer
	Ultima Pro	LUG	6.00	Continuous use	Medium Duty	21x8-9	Standard Solid	20 Hours	3 Layer
	Ultima Star	LUG	6.00	Continuous use	Heavy Duty	21x8-9	Standard Solid	24 Hours	3 Layer
	Platina	LUG	6.00	Intermittent	Light Duty	21x8-9	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	6.00	Intermittent	Light Duty	21x8-9	LIP Solid	15 Hours	2 Layer
	Ultima Pro	LUG	6.00	Continuous use	Medium Duty	21x8-9	LIP Solid	20 Hours	3 Layer
	Ultima Star	LUG	6.00	Continuous use	Heavy Duty	21x8-9	LIP Solid	24 Hours	3 Layer
	Platina Pro	LUG	6.00	Intermittent	Light Duty	21x8-9	NM STANDARD	15 Hours	2 Layer
	Ultima Star	LUG	6.00	Continuous use	Heavy Duty	21x8-9	NM STANDARD	24 Hours	3 Layer
	Platina Pro	LUG	6.00	Intermittent	Light Duty	21x8-9	NM LIP	15 Hours	2 Layer
	Ultima Star	LUG	6.00	Continuous use	Heavy Duty	21x8-9	NM LIP	24 Hours	3 Layer
10	Platina	LUG	6.50	Intermittent	Light Duty	200/50-10	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	6.50	Intermittent	Light Duty	200/50-10	Standard Solid	15 Hours	2 Layer
	Ultima Pro	LUG	6.50	Continuous use	Medium Duty	200/50-10	Standard Solid	20 Hours	3 Layer
	Ultima Star	LUG	6.50	Continuous use	Heavy Duty	200/50-10	Standard Solid	24 Hours	3 Layer
	Platina	LUG	6.50	Intermittent	Light Duty	200/50-10	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	6.50	Intermittent	Light Duty	200/50-10	LIP Solid	15 Hours	2 Layer
	Ultima Pro	LUG	6.50	Continuous use	Medium Duty	200/50-10	LIP Solid	20 Hours	3 Layer
	Ultima Star	LUG	6.50	Continuous use	Heavy Duty	200/50-10	LIP Solid	24 Hours	3 Layer
	Platina Pro	LUG	6.50	Intermittent	Light Duty	200/50-10	NM STANDARD	15 Hours	2 Layer
	Ultima Star	LUG	6.50	Continuous use	Heavy Duty	200/50-10	NM STANDARD	24 Hours	3 Layer
	Platina Pro	LUG	6.50	Intermittent	Light Duty	200/50-10	NM LIP	15 Hours	2 Layer
	Ultima Star	LUG	6.50	Continuous use	Heavy Duty	200/50-10	NM LIP	24 Hours	3 Layer
	Platina	LUG	5.00	Intermittent	Light Duty	6.50-10	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	5.00	Intermittent	Light Duty	6.50-10	Standard Solid	15 Hours	2 Layer
	Ultima Pro	LUG	5.00	Continuous use	Medium Duty	6.50-10	Standard Solid	20 Hours	3 Layer
	Ultima Star	LUG	5.00	Continuous use	Heavy Duty	6.50-10	Standard Solid	24 Hours	3 Layer

SOLID TYRES RANGE

	Grade MRL	Pattern	Rim Size	Operation	Duty	Tyre Size	Pattern Name	Application Per Day	Layer Construction
10	Platina	LUG	5.00	Intermittent	Light Duty	6.50-10	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	5.00	Intermittent	Light Duty	6.50-10	LIP Solid	15 Hours	2 Layer
	Ultima Pro	LUG	5.00	Continuous use	Medium Duty	6.50-10	LIP Solid	20 Hours	3 Layer
	Ultima Star	LUG	5.00	Continuous use	Heavy Duty	6.50-10	LIP Solid	24 Hours	3 Layer
	Platina Pro	LUG	5.00	Intermittent	Light Duty	6.50-10	NM STANDARD	15 Hours	2 Layer
	Ultima Star	LUG	5.00	Continuous use	Heavy Duty	6.50-10	NM STANDARD	24 Hours	3 Layer
	Platina Pro	LUG	5.00	Intermittent	Light Duty	6.50-10	NM LIP	15 Hours	2 Layer
	Ultima Star	LUG	5.00	Continuous use	Heavy Duty	6.50-10	NM LIP	24 Hours	3 Layer
	Platina	LUG	6.50	Intermittent	Light Duty	23x9-10	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	6.50	Intermittent	Light Duty	23x9-10	Standard Solid	15 Hours	2 Layer
	Ultima Pro	LUG	6.50	Continuous use	Medium Duty	23x9-10	Standard Solid	20 Hours	3 Layer
	Ultima Star	LUG	6.50	Continuous use	Heavy Duty	23x9-10	Standard Solid	24 Hours	3 Layer
	Platina	LUG	6.50	Intermittent	Light Duty	23x9-10	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	6.50	Intermittent	Light Duty	23x9-10	LIP Solid	15 Hours	2 Layer
	Ultima Pro	LUG	6.50	Continuous use	Medium Duty	23x9-10	LIP Solid	20 Hours	3 Layer
	Ultima Star	LUG	6.50	Continuous use	Heavy Duty	23x9-10	LIP Solid	24 Hours	3 Layer
	Platina Pro	LUG	6.50	Intermittent	Light Duty	23x9-10	NM STANDARD	15 Hours	2 Layer
	Ultima Star	LUG	6.50	Continuous use	Heavy Duty	23x9-10	NM STANDARD	24 Hours	3 Layer
	Platina Pro	LUG	6.50	Intermittent	Light Duty	23x9-10	NM LIP	15 Hours	2 Layer
	Ultima Star	LUG	6.50	Continuous use	Heavy Duty	23x9-10	NM LIP	24 Hours	3 Layer
12	Platina	LUG	5.00	Intermittent	Light Duty	7.00-12	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	5.00	Intermittent	Light Duty	7.00-12	Standard Solid	15 Hours	2 Layer
	Ultima Pro	LUG	5.00	Continuous use	Medium Duty	7.00-12	Standard Solid	20 Hours	3 Layer
	Ultima Star	LUG	5.00	Continuous use	Heavy Duty	7.00-12	Standard Solid	24 Hours	3 Layer
	Platina	LUG	5.00	Intermittent	Light Duty	7.00-12	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	5.00	Intermittent	Light Duty	7.00-12	LIP Solid	15 Hours	2 Layer
	Ultima Pro	LUG	5.00	Continuous use	Medium Duty	7.00-12	LIP Solid	20 Hours	3 Layer
	Ultima Star	LUG	5.00	Continuous use	Heavy Duty	7.00-12	LIP Solid	24 Hours	3 Layer
	Platina Pro	LUG	5.00	Intermittent	Light Duty	7.00-12	NM STANDARD	15 Hours	2 Layer
	Ultima Star	LUG	5.00	Continuous use	Heavy Duty	7.00-12	NM STANDARD	24 Hours	3 Layer
	Platina Pro	LUG	5.00	Intermittent	Light Duty	7.00-12	NM LIP	15 Hours	2 Layer
	Ultima Star	LUG	5.00	Continuous use	Heavy Duty	7.00-12	NM LIP	24 Hours	3 Layer
	Platina	LUG	8.00	Intermittent	Light Duty	23x10-12	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	8.00	Intermittent	Light Duty	23x10-12	Standard Solid	15 Hours	2 Layer
	Ultima Pro	LUG	8.00	Continuous use	Medium Duty	23x10-12	Standard Solid	20 Hours	3 Layer
	Ultima Star	LUG	8.00	Continuous use	Heavy Duty	23x10-12	Standard Solid	24 Hours	3 Layer
	Platina	LUG	8.00	Intermittent	Light Duty	23x10-12	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	8.00	Intermittent	Light Duty	23x10-12	LIP Solid	15 Hours	2 Layer
	Ultima Pro	LUG	8.00	Continuous use	Medium Duty	23x10-12	LIP Solid	20 Hours	3 Layer
	Ultima Star	LUG	8.00	Continuous use	Heavy Duty	23x10-12	LIP Solid	24 Hours	3 Layer
	Platina Pro	LUG	8.00	Intermittent	Light Duty	23x10-12	NM STANDARD	15 Hours	2 Layer
	Ultima Star	LUG	8.00	Continuous use	Heavy Duty	23x10-12	NM STANDARD	24 Hours	3 Layer
	Platina Pro	LUG	8.00	Intermittent	Light Duty	23x10-12	NM LIP	15 Hours	2 Layer
	Ultima Star	LUG	8.00	Continuous use	Heavy Duty	23x10-12	NM LIP	24 Hours	3 Layer
	Platina	LUG	8.00	Intermittent	Light Duty	27x10-12	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	8.00	Intermittent	Light Duty	27x10-12	Standard Solid	15 Hours	2 Layer
	Ultima Pro	LUG	8.00	Continuous use	Medium Duty	27x10-12	Standard Solid	20 Hours	3 Layer

SOLID TYRES RANGE

15

Grade MRL	Pattern	Rim Size	Operation	Duty	Tyre Size	Pattern Name	Application Per Day	Layer Construction
Ultima Star	LUG	8.00	Continuous use	Heavy Duty	27x10-12	Standard Solid	24 Hours	3 Layer
Platina	LUG	8.00	Intermittent	Light Duty	27x10-12	LIP Solid	10-12 Hours	2 Layer
Platina Pro	LUG	8.00	Intermittent	Light Duty	27x10-12	LIP Solid	15 Hours	2 Layer
Ultima Pro	LUG	8.00	Continuous use	Medium Duty	27x10-12	LIP Solid	20 Hours	3 Layer
Ultima Star	LUG	8.00	Continuous use	Heavy Duty	27x10-12	LIP Solid	24 Hours	3 Layer
Platina Pro	LUG	8.00	Intermittent	Light Duty	27x10-12	NM STANDARD	15 Hours	2 Layer
Ultima Star	LUG	8.00	Continuous use	Heavy Duty	27x10-12	NM STANDARD	24 Hours	3 Layer
Platina Pro	LUG	8.00	Intermittent	Light Duty	27x10-12	NM LIP	15 Hours	2 Layer
Ultima Star	LUG	8.00	Continuous use	Heavy Duty	27x10-12	NM LIP	24 Hours	3 Layer
Platina	LUG	5.50	Intermittent	Light Duty	7.00-15	Standard Solid	10-12 Hours	2 Layer
Platina Pro	LUG	5.50	Intermittent	Light Duty	7.00-15	Standard Solid	15 Hours	2 Layer
Ultima Pro	LUG	5.50	Continuous use	Medium Duty	7.00-15	Standard Solid	20 Hours	3 Layer
Ultima Star	LUG	5.50	Continuous use	Heavy Duty	7.00-15	Standard Solid	24 Hours	3 Layer
Platina	LUG	5.50	Intermittent	Light Duty	7.00-15	LIP Solid	10-12 Hours	2 Layer
Platina Pro	LUG	5.50	Intermittent	Light Duty	7.00-15	LIP Solid	15 Hours	2 Layer
Ultima Pro	LUG	5.50	Continuous use	Medium Duty	7.00-15	LIP Solid	20 Hours	3 Layer
Ultima Star	LUG	5.50	Continuous use	Heavy Duty	7.00-15	LIP Solid	24 Hours	3 Layer
Platina Pro	LUG	5.50	Intermittent	Light Duty	7.00-15	NM STANDARD	15 Hours	2 Layer
Ultima Star	LUG	5.50	Continuous use	Heavy Duty	7.00-15	NM STANDARD	24 Hours	3 Layer
Platina Pro	LUG	5.50	Intermittent	Light Duty	7.00-15	NM LIP	15 Hours	2 Layer
Ultima Star	LUG	5.50	Continuous use	Heavy Duty	7.00-15	NM LIP	24 Hours	3 Layer
Platina	LUG	5.50	Intermittent	Light Duty	7.50-15	Standard Solid	10-12 Hours	2 Layer
Platina Pro	LUG	5.50	Intermittent	Light Duty	7.50-15	Standard Solid	15 Hours	2 Layer
Ultima Pro	LUG	5.50	Continuous use	Medium Duty	7.50-15	Standard Solid	20 Hours	3 Layer
Ultima Star	LUG	5.50	Continuous use	Heavy Duty	7.50-15	Standard Solid	24 Hours	3 Layer
Platina	LUG	5.50	Intermittent	Light Duty	7.50-15	LIP Solid	10-12 Hours	2 Layer
Platina Pro	LUG	5.50	Intermittent	Light Duty	7.50-15	LIP Solid	15 Hours	2 Layer
Ultima Pro	LUG	5.50	Continuous use	Medium Duty	7.50-15	LIP Solid	20 Hours	3 Layer
Ultima Star	LUG	5.50	Continuous use	Heavy Duty	7.50-15	LIP Solid	24 Hours	3 Layer
Platina Pro	LUG	5.50	Intermittent	Light Duty	7.50-15	NM STANDARD	15 Hours	2 Layer
Ultima Star	LUG	5.50	Continuous use	Heavy Duty	7.50-15	NM STANDARD	24 Hours	3 Layer
Platina Pro	LUG	5.50	Intermittent	Light Duty	7.50-15	NM LIP	15 Hours	2 Layer
Ultima Star	LUG	5.50	Continuous use	Heavy Duty	7.50-15	NM LIP	24 Hours	3 Layer
Platina	LUG	6.00	Intermittent	Light Duty	7.50-15	Standard Solid	10-12 Hours	2 Layer
Platina Pro	LUG	6.00	Intermittent	Light Duty	7.50-15	Standard Solid	15 Hours	2 Layer
Ultima Pro	LUG	6.00	Continuous use	Medium Duty	7.50-15	Standard Solid	20 Hours	3 Layer
Ultima Star	LUG	6.00	Continuous use	Heavy Duty	7.50-15	Standard Solid	24 Hours	3 Layer
Platina	LUG	6.00	Intermittent	Light Duty	7.50-15	LIP Solid	10-12 Hours	2 Layer
Platina Pro	LUG	6.00	Intermittent	Light Duty	7.50-15	LIP Solid	15 Hours	2 Layer
Ultima Pro	LUG	6.00	Continuous use	Medium Duty	7.50-15	LIP Solid	20 Hours	3 Layer
Ultima Star	LUG	6.00	Continuous use	Heavy Duty	7.50-15	LIP Solid	24 Hours	3 Layer
Platina Pro	LUG	6.00	Intermittent	Light Duty	7.50-15	NM STANDARD	15 Hours	2 Layer
Ultima Star	LUG	6.00	Continuous use	Heavy Duty	7.50-15	NM STANDARD	24 Hours	3 Layer
Platina Pro	LUG	6.00	Intermittent	Light Duty	7.50-15	NM LIP	15 Hours	2 Layer
Ultima Star	LUG	6.00	Continuous use	Heavy Duty	7.50-15	NM LIP	24 Hours	3 Layer
Platina	LUG	6.50	Intermittent	Light Duty	7.50-15	Standard Solid	10-12 Hours	2 Layer
Platina Pro	LUG	6.50	Intermittent	Light Duty	7.50-15	Standard Solid	15 Hours	2 Layer

SOLID TYRES RANGE

	Grade MRL	Pattern	Rim Size	Operation	Duty	Tyre Size	Pattern Name	Application Per Day	Layer Construction
15	Ultima Pro	LUG	6.50	Continuous use	Medium Duty	7.50-15	Standard Solid	20 Hours	3 Layer
	Ultima Star	LUG	6.50	Continuous use	Heavy Duty	7.50-15	Standard Solid	24 Hours	3 Layer
	Platina	LUG	6.50	Intermittent	Light Duty	7.50-15	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	6.50	Intermittent	Light Duty	7.50-15	LIP Solid	15 Hours	2 Layer
	Ultima Pro	LUG	6.50	Continuous use	Medium Duty	7.50-15	LIP Solid	20 Hours	3 Layer
	Ultima Star	LUG	6.50	Continuous use	Heavy Duty	7.50-15	LIP Solid	24 Hours	3 Layer
	Platina Pro	LUG	6.50	Intermittent	Light Duty	7.50-15	NM STANDARD	15 Hours	2 Layer
	Ultima Star	LUG	6.50	Continuous use	Heavy Duty	7.50-15	NM STANDARD	24 Hours	3 Layer
	Platina Pro	LUG	6.50	Intermittent	Light Duty	7.50-15	NM LIP	15 Hours	2 Layer
	Ultima Star	LUG	6.50	Continuous use	Heavy Duty	7.50-15	NM LIP	24 Hours	3 Layer
	Platina	LUG	7.00	Intermittent	Light Duty	8.15-15	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	7.00	Intermittent	Light Duty	8.15-15	Standard Solid	15 Hours	2 Layer
	Ultima Pro	LUG	7.00	Continuous use	Medium Duty	8.15-15	Standard Solid	20 Hours	3 Layer
	Ultima Star	LUG	7.00	Continuous use	Heavy Duty	8.15-15	Standard Solid	24 Hours	3 Layer
	Platina	LUG	7.00	Intermittent	Light Duty	8.15-15	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	7.00	Intermittent	Light Duty	8.15-15	LIP Solid	15 Hours	2 Layer
	Ultima Pro	LUG	7.00	Continuous use	Medium Duty	8.15-15	LIP Solid	20 Hours	3 Layer
	Ultima Star	LUG	7.00	Continuous use	Heavy Duty	8.15-15	LIP Solid	24 Hours	3 Layer
	Platina Pro	LUG	7.00	Intermittent	Light Duty	8.15-15	NM STANDARD	15 Hours	2 Layer
	Ultima Star	LUG	7.00	Continuous use	Heavy Duty	8.15-15	NM STANDARD	24 Hours	3 Layer
	Platina Pro	LUG	7.00	Intermittent	Light Duty	8.15-15	NM LIP	15 Hours	2 Layer
	Ultima Star	LUG	7.00	Continuous use	Heavy Duty	8.15-15	NM LIP White	24 Hours	3 Layer
	Ultima Star	LUG	7.00	Continuous use	Heavy Duty	8.15-15	NM LIP Grey	24 Hours	3 Layer
	Platina	LUG	6.50	Intermittent	Light Duty	8.25-15	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	6.50	Intermittent	Light Duty	8.25-15	Standard Solid	15 Hours	2 Layer
	Ultima Pro	LUG	6.50	Continuous use	Medium Duty	8.25-15	Standard Solid	20 Hours	3 Layer
	Ultima Star	LUG	6.50	Continuous use	Heavy Duty	8.25-15	Standard Solid	24 Hours	3 Layer
	Platina	LUG	6.50	Intermittent	Light Duty	8.25-15	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	6.50	Intermittent	Light Duty	8.25-15	LIP Solid	15 Hours	2 Layer
	Ultima Pro	LUG	6.50	Continuous use	Medium Duty	8.25-15	LIP Solid	20 Hours	3 Layer
	Ultima Star	LUG	6.50	Continuous use	Heavy Duty	8.25-15	LIP Solid	24 Hours	3 Layer
	Platina Pro	LUG	6.50	Intermittent	Light Duty	8.25-15	NM STANDARD	15 Hours	2 Layer
	Ultima Star	LUG	6.50	Continuous use	Heavy Duty	8.25-15	NM STANDARD	24 Hours	3 Layer
	Platina Pro	LUG	6.50	Intermittent	Light Duty	8.25-15	NM LIP	15 Hours	2 Layer
	Ultima Star	LUG	6.50	Continuous use	Heavy Duty	8.25-15	NM LIP	24 Hours	3 Layer
	Platina	LUG	7.00	Intermittent	Light Duty	2.50-15	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	7.00	Intermittent	Light Duty	2.50-15	Standard Solid	15 Hours	2 Layer
	Ultima Pro	LUG	7.00	Continuous use	Medium Duty	2.50-15	Standard Solid	20 Hours	3 Layer
	Ultima Star	LUG	7.00	Continuous use	Heavy Duty	2.50-15	Standard Solid	24 Hours	3 Layer
	Platina	LUG	7.00	Intermittent	Light Duty	2.50-15	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	7.00	Intermittent	Light Duty	2.50-15	LIP Solid	15 Hours	2 Layer
	Ultima Pro	LUG	7.00	Continuous use	Medium Duty	2.50-15	LIP Solid	20 Hours	3 Layer
	Ultima Star	LUG	7.00	Continuous use	Heavy Duty	2.50-15	LIP Solid	24 Hours	3 Layer
	Platina Pro	LUG	7.00	Intermittent	Light Duty	2.50-15	NM STANDARD	15 Hours	2 Layer
	Ultima Star	LUG	7.00	Continuous use	Heavy Duty	2.50-15	NM STANDARD	24 Hours	3 Layer
	Platina Pro	LUG	7.00	Intermittent	Light Duty	2.50-15	NM LIP	15 Hours	2 Layer
	Ultima Star	LUG	7.00	Continuous use	Heavy Duty	2.50-15	NM LIP	24 Hours	3 Layer

SOLID TYRES RANGE

15

Grade MRL	Pattern	Rim Size	Operation	Duty	Tyre Size	Pattern Name	Application Per Day	Layer Construction
Platina	LUG	7.50	Intermittent	Light Duty	2.50-15	Standard Solid	10-12 Hours	2 Layer
Platina Pro	LUG	7.50	Intermittent	Light Duty	2.50-15	Standard Solid	15 Hours	2 Layer
Ultima Pro	LUG	7.50	Continuous use	Medium Duty	2.50-15	Standard Solid	20 Hours	3 Layer
Ultima Star	LUG	7.50	Continuous use	Heavy Duty	2.50-15	Standard Solid	24 Hours	3 Layer
Platina	LUG	7.50	Intermittent	Light Duty	2.50-15	LIP Solid	10-12 Hours	2 Layer
Platina Pro	LUG	7.50	Intermittent	Light Duty	2.50-15	LIP Solid	15 Hours	2 Layer
Ultima Pro	LUG	7.50	Continuous use	Medium Duty	2.50-15	LIP Solid	20 Hours	3 Layer
Ultima Star	LUG	7.50	Continuous use	Heavy Duty	2.50-15	LIP Solid	24 Hours	3 Layer
Platina Pro	LUG	7.50	Intermittent	Light Duty	2.50-15	NM STANDARD	15 Hours	2 Layer
Ultima Star	LUG	7.50	Continuous use	Heavy Duty	2.50-15	NM STANDARD	24 Hours	3 Layer
Platina Pro	LUG	7.50	Intermittent	Light Duty	2.50-15	NM LIP	15 Hours	2 Layer
Ultima Star	LUG	7.50	Continuous use	Heavy Duty	2.50-15	NM LIP	24 Hours	3 Layer
Platina	LUG	8.00	Intermittent	Light Duty	3.00-15	Standard Solid	10-12 Hours	2 Layer
Platina Pro	LUG	8.00	Intermittent	Light Duty	3.00-15	Standard Solid	15 Hours	2 Layer
Ultima Pro	LUG	8.00	Continuous use	Medium Duty	3.00-15	Standard Solid	20 Hours	3 Layer
Ultima Star	LUG	8.00	Continuous use	Heavy Duty	3.00-15	Standard Solid	24 Hours	3 Layer
Platina	LUG	8.00	Intermittent	Light Duty	3.00-15	LIP Solid	10-12 Hours	2 Layer
Platina Pro	LUG	8.00	Intermittent	Light Duty	3.00-15	LIP Solid	15 Hours	2 Layer
Ultima Pro	LUG	8.00	Continuous use	Medium Duty	3.00-15	LIP Solid	20 Hours	3 Layer
Ultima Star	LUG	8.00	Continuous use	Heavy Duty	3.00-15	LIP Solid	24 Hours	3 Layer
Platina Pro	LUG	8.00	Intermittent	Light Duty	3.00-15	NM STANDARD	15 Hours	2 Layer
Ultima Star	LUG	8.00	Continuous use	Heavy Duty	3.00-15	NM STANDARD	24 Hours	3 Layer
Platina Pro	LUG	8.00	Intermittent	Light Duty	3.00-15	NM LIP	15 Hours	2 Layer
Ultima Star	LUG	8.00	Continuous use	Heavy Duty	3.00-15	NM LIP White	24 Hours	3 Layer
Ultima Star	LUG	8.00	Continuous use	Heavy Duty	3.00-15	NM LIP Grey	24 Hours	3 Layer
Platina	LUG	9.75	Intermittent	Light Duty	355/65-15	Standard Solid	10-12 Hours	2 Layer
Platina Pro	LUG	9.75	Intermittent	Light Duty	355/65-15	Standard Solid	15 Hours	2 Layer
Ultima Pro	LUG	9.75	Continuous use	Medium Duty	355/65-15	Standard Solid	20 Hours	3 Layer
Ultima Star	LUG	9.75	Continuous use	Heavy Duty	355/65-15	Standard Solid	24 Hours	3 Layer
Platina	LUG	9.75	Intermittent	Light Duty	355/65-15	LIP Solid	10-12 Hours	2 Layer
Platina Pro	LUG	9.75	Intermittent	Light Duty	355/65-15	LIP Solid	15 Hours	2 Layer
Ultima Pro	LUG	9.75	Continuous use	Medium Duty	355/65-15	LIP Solid	20 Hours	3 Layer
Ultima Star	LUG	9.75	Continuous use	Heavy Duty	355/65-15	LIP Solid	24 Hours	3 Layer
Platina Pro	LUG	9.75	Intermittent	Light Duty	355/65-15	NM STANDARD	15 Hours	2 Layer
Ultima Star	LUG	9.75	Continuous use	Heavy Duty	355/65-15	NM STANDARD	24 Hours	3 Layer
Platina Pro	LUG	9.75	Intermittent	Light Duty	355/65-15	NM LIP	15 Hours	2 Layer
Ultima Star	LUG	9.75	Continuous use	Heavy Duty	355/65-15	NM LIP	24 Hours	3 Layer
Platina	LUG	11.00	Intermittent	Light Duty	400/60-15	Standard Solid	10-12 Hours	2 Layer
Platina Pro	LUG	11.00	Intermittent	Light Duty	400/60-15	Standard Solid	15 Hours	2 Layer
Ultima Pro	LUG	11.00	Continuous use	Medium Duty	400/60-15	Standard Solid	20 Hours	3 Layer
Ultima Star	LUG	11.00	Continuous use	Heavy Duty	400/60-15	Standard Solid	24 Hours	3 Layer
Platina	LUG	11.00	Intermittent	Light Duty	400/60-15	LIP Solid	10-12 Hours	2 Layer
Platina Pro	LUG	11.00	Intermittent	Light Duty	400/60-15	LIP Solid	15 Hours	2 Layer
Ultima Pro	LUG	11.00	Continuous use	Medium Duty	400/60-15	LIP Solid	20 Hours	3 Layer
Ultima Star	LUG	11.00	Continuous use	Heavy Duty	400/60-15	LIP Solid	24 Hours	3 Layer
Platina Pro	LUG	11.00	Intermittent	Light Duty	400/60-15	NM STANDARD	15 Hours	2 Layer
Ultima Star	LUG	11.00	Continuous use	Heavy Duty	400/60-15	NM STANDARD	24 Hours	3 Layer

SOLID TYRES RANGE

	Grade MRL	Pattern	Rim Size	Operation	Duty	Tyre Size	Pattern Name	Application Per Day	Layer Construction
15	Platina Pro	LUG	11.00	Intermittent	Light Duty	400/60-15	NM LIP	15 Hours	2 Layer
	Ultima Star	LUG	11.00	Continuous use	Heavy Duty	400/60-15	NM LIP	24 Hours	3 Layer
16	Platina	SM	5.50	Intermittent	Light Duty	6.50-16	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	SM	5.50	Intermittent	Light Duty	6.50-16	Standard Solid	15 Hours	2 Layer
	Ultima Pro	SM	5.50	Continuous use	Medium Duty	6.50-16	Standard Solid	20 Hours	3 Layer
	Ultima Star	SM	5.50	Continuous use	Heavy Duty	6.50-16	Standard Solid	24 Hours	3 Layer
	Platina	SM	5.50	Intermittent	Light Duty	6.50-16	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	SM	5.50	Intermittent	Light Duty	6.50-16	LIP Solid	15 Hours	2 Layer
	Ultima Pro	SM	5.50	Continuous use	Medium Duty	6.50-16	LIP Solid	20 Hours	3 Layer
	Ultima Star	SM	5.50	Continuous use	Heavy Duty	6.50-16	LIP Solid	24 Hours	3 Layer
	Platina Pro	SM	5.50	Intermittent	Light Duty	6.50-16	NM STANDARD	15 Hours	2 Layer
	Ultima Star	SM	5.50	Continuous use	Heavy Duty	6.50-16	NM STANDARD	24 Hours	3 Layer
	Platina Pro	SM	5.50	Intermittent	Light Duty	6.50-16	NM LIP	15 Hours	2 Layer
	Ultima Star	SM	5.50	Continuous use	Heavy Duty	6.50-16	NM LIP	24 Hours	3 Layer
	Platina	LUG	5.50	Intermittent	Light Duty	7.50-16	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	5.50	Intermittent	Light Duty	7.50-16	Standard Solid	15 Hours	2 Layer
	Ultima Pro	LUG	5.50	Continuous use	Medium Duty	7.50-16	Standard Solid	20 Hours	3 Layer
	Ultima Star	LUG	5.50	Continuous use	Heavy Duty	7.50-16	Standard Solid	24 Hours	3 Layer
	Platina	LUG	5.50	Intermittent	Light Duty	7.50-16	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	5.50	Intermittent	Light Duty	7.50-16	LIP Solid	15 Hours	2 Layer
	Ultima Pro	LUG	5.50	Continuous use	Medium Duty	7.50-16	LIP Solid	20 Hours	3 Layer
	Ultima Star	LUG	5.50	Continuous use	Heavy Duty	7.50-16	LIP Solid	24 Hours	3 Layer
	Platina Pro	LUG	5.50	Intermittent	Light Duty	7.50-16	NM STANDARD	15 Hours	2 Layer
	Ultima Star	LUG	5.50	Continuous use	Heavy Duty	7.50-16	NM STANDARD	24 Hours	3 Layer
	Platina Pro	LUG	5.50	Intermittent	Light Duty	7.50-16	NM LIP	15 Hours	2 Layer
	Ultima Star	LUG	5.50	Continuous use	Heavy Duty	7.50-16	NM LIP	24 Hours	3 Layer
	Platina	LUG	6.00	Intermittent	Light Duty	7.50-16	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	6.00	Intermittent	Light Duty	7.50-16	Standard Solid	15 Hours	2 Layer
	Ultima Pro	LUG	6.00	Continuous use	Medium Duty	7.50-16	Standard Solid	20 Hours	3 Layer
	Ultima Star	LUG	6.00	Continuous use	Heavy Duty	7.50-16	Standard Solid	24 Hours	3 Layer
	Platina	LUG	6.00	Intermittent	Light Duty	7.50-16	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	6.00	Intermittent	Light Duty	7.50-16	LIP Solid	15 Hours	2 Layer
	Ultima Pro	LUG	6.00	Continuous use	Medium Duty	7.50-16	LIP Solid	20 Hours	3 Layer
	Ultima Star	LUG	6.00	Continuous use	Heavy Duty	7.50-16	LIP Solid	24 Hours	3 Layer
	Platina Pro	LUG	6.00	Intermittent	Light Duty	7.50-16	NM STANDARD	15 Hours	2 Layer
	Ultima Star	LUG	6.00	Continuous use	Heavy Duty	7.50-16	NM STANDARD	24 Hours	3 Layer
	Platina Pro	LUG	6.00	Intermittent	Light Duty	7.50-16	NM LIP	15 Hours	2 Layer
	Ultima Star	LUG	6.00	Continuous use	Heavy Duty	7.50-16	NM LIP	24 Hours	3 Layer
	Platina	LUG	6.50	Intermittent	Light Duty	7.50-16	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	6.50	Intermittent	Light Duty	7.50-16	Standard Solid	15 Hours	2 Layer
	Ultima Pro	LUG	6.50	Continuous use	Medium Duty	7.50-16	Standard Solid	20 Hours	3 Layer
	Ultima Star	LUG	6.50	Continuous use	Heavy Duty	7.50-16	Standard Solid	24 Hours	3 Layer
	Platina	LUG	6.50	Intermittent	Light Duty	7.50-16	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	6.50	Intermittent	Light Duty	7.50-16	LIP Solid	15 Hours	2 Layer
	Ultima Pro	LUG	6.50	Continuous use	Medium Duty	7.50-16	LIP Solid	20 Hours	3 Layer
	Ultima Star	LUG	6.50	Continuous use	Heavy Duty	7.50-16	LIP Solid	24 Hours	3 Layer
	Platina Pro	LUG	6.50	Intermittent	Light Duty	7.50-16	NM STANDARD	15 Hours	2 Layer

SOLID TYRES RANGE

	Grade MRL	Pattern	Rim Size	Operation	Duty	Tyre Size	Pattern Name	Application Per Day	Layer Construction
16	Ultima Star	LUG	6.50	Continuous use	Heavy Duty	7.50-16	NM STANDARD	24 Hours	3 Layer
	Platina Pro	LUG	6.50	Intermittent	Light Duty	7.50-16	NM LIP	15 Hours	2 Layer
	Ultima Star	LUG	6.50	Continuous use	Heavy Duty	7.50-16	NM LIP	24 Hours	3 Layer
	Platina	LUG	5.50	Intermittent	Light Duty	8.25-16	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	5.50	Intermittent	Light Duty	8.25-16	Standard Solid	15 Hours	2 Layer
	Ultima Pro	LUG	5.50	Continuous use	Medium Duty	8.25-16	Standard Solid	20 Hours	3 Layer
	Ultima Star	LUG	5.50	Continuous use	Heavy Duty	8.25-16	Standard Solid	24 Hours	3 Layer
	Platina	LUG	5.50	Intermittent	Light Duty	8.25-16	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	5.50	Intermittent	Light Duty	8.25-16	LIP Solid	15 Hours	2 Layer
	Ultima Pro	LUG	5.50	Continuous use	Medium Duty	8.25-16	LIP Solid	20 Hours	3 Layer
	Ultima Star	LUG	5.50	Continuous use	Heavy Duty	8.25-16	LIP Solid	24 Hours	3 Layer
	Platina Pro	LUG	5.50	Intermittent	Light Duty	8.25-16	NM STANDARD	15 Hours	2 Layer
	Ultima Star	LUG	5.50	Continuous use	Heavy Duty	8.25-16	NM STANDARD	24 Hours	3 Layer
	Platina Pro	LUG	5.50	Intermittent	Light Duty	8.25-16	NM LIP	15 Hours	2 Layer
	Ultima Star	LUG	5.50	Continuous use	Heavy Duty	8.25-16	NM LIP	24 Hours	3 Layer
	Platina	LUG	6.00	Intermittent	Light Duty	8.25-16	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	6.00	Intermittent	Light Duty	8.25-16	Standard Solid	15 Hours	2 Layer
	Ultima Pro	LUG	6.00	Continuous use	Medium Duty	8.25-16	Standard Solid	20 Hours	3 Layer
	Ultima Star	LUG	6.00	Continuous use	Heavy Duty	8.25-16	Standard Solid	24 Hours	3 Layer
	Platina	LUG	6.00	Intermittent	Light Duty	8.25-16	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	6.00	Intermittent	Light Duty	8.25-16	LIP Solid	15 Hours	2 Layer
	Ultima Pro	LUG	6.00	Continuous use	Medium Duty	8.25-16	LIP Solid	20 Hours	3 Layer
	Ultima Star	LUG	6.00	Continuous use	Heavy Duty	8.25-16	LIP Solid	24 Hours	3 Layer
	Platina Pro	LUG	6.00	Intermittent	Light Duty	8.25-16	NM STANDARD	15 Hours	2 Layer
	Ultima Star	LUG	6.00	Continuous use	Heavy Duty	8.25-16	NM STANDARD	24 Hours	3 Layer
	Platina Pro	LUG	6.00	Intermittent	Light Duty	8.25-16	NM LIP	15 Hours	2 Layer
	Ultima Star	LUG	6.00	Continuous use	Heavy Duty	8.25-16	NM LIP	24 Hours	3 Layer
20	Platina	LUG	6.00	Intermittent	Light Duty	7.50-20	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	6.00	Intermittent	Light Duty	7.50-20	Standard Solid	15 Hours	2 Layer
	Ultima Pro	LUG	6.00	Continuous use	Medium Duty	7.50-20	Standard Solid	20 Hours	3 Layer
	Ultima Star	LUG	6.00	Continuous use	Heavy Duty	7.50-20	Standard Solid	24 Hours	3 Layer
	Platina	LUG	6.00	Intermittent	Light Duty	7.50-20	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	6.00	Intermittent	Light Duty	7.50-20	LIP Solid	15 Hours	2 Layer
	Ultima Pro	LUG	6.00	Continuous use	Medium Duty	7.50-20	LIP Solid	20 Hours	3 Layer
	Ultima Star	LUG	6.00	Continuous use	Heavy Duty	7.50-20	LIP Solid	24 Hours	3 Layer
	Platina Pro	LUG	6.00	Intermittent	Light Duty	7.50-20	NM STANDARD	15 Hours	2 Layer
	Ultima Star	LUG	6.00	Continuous use	Heavy Duty	7.50-20	NM STANDARD	24 Hours	3 Layer
	Platina Pro	LUG	6.00	Intermittent	Light Duty	7.50-20	NM LIP	15 Hours	2 Layer
	Ultima Star	LUG	6.00	Continuous use	Heavy Duty	7.50-20	NM LIP	24 Hours	3 Layer
	Platina	LUG	6.50	Intermittent	Light Duty	8.25-20	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	6.50	Intermittent	Light Duty	8.25-20	Standard Solid	15 Hours	2 Layer
	Ultima Pro	LUG	6.50	Continuous use	Medium Duty	8.25-20	Standard Solid	20 Hours	3 Layer
	Ultima Star	LUG	6.50	Continuous use	Heavy Duty	8.25-20	Standard Solid	24 Hours	3 Layer
	Platina	LUG	6.50	Intermittent	Light Duty	8.25-20	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	6.50	Intermittent	Light Duty	8.25-20	LIP Solid	15 Hours	2 Layer
	Ultima Pro	LUG	6.50	Continuous use	Medium Duty	8.25-20	LIP Solid	20 Hours	3 Layer
	Ultima Star	LUG	6.50	Continuous use	Heavy Duty	8.25-20	LIP Solid	24 Hours	3 Layer

SOLID TYRES RANGE

20

Grade MRL	Pattern	Rim Size	Operation	Duty	Tyre Size	Pattern Name	Application Per Day	Layer Construction
Platina Pro	LUG	6.50	Intermittent	Light Duty	8.25-20	NM STANDARD	15 Hours	2 Layer
Ultima Star	LUG	6.50	Continuous use	Heavy Duty	8.25-20	NM STANDARD	24 Hours	3 Layer
Platina Pro	LUG	6.50	Intermittent	Light Duty	8.25-20	NM LIP	15 Hours	2 Layer
Ultima Star	LUG	6.50	Continuous use	Heavy Duty	8.25-20	NM LIP	24 Hours	3 Layer
Platina	SM	10.00	Intermittent	Light Duty	355/50-20	Standard Solid	10-12 Hours	2 Layer
Platina Pro	SM	10.00	Intermittent	Light Duty	355/50-20	Standard Solid	15 Hours	2 Layer
Ultima Pro	SM	10.00	Continuous use	Medium Duty	355/50-20	Standard Solid	20 Hours	3 Layer
Ultima Star	SM	10.00	Continuous use	Heavy Duty	355/50-20	Standard Solid	24 Hours	3 Layer
Platina	SM	10.00	Intermittent	Light Duty	355/50-20	LIP Solid	10-12 Hours	2 Layer
Platina Pro	SM	10.00	Intermittent	Light Duty	355/50-20	LIP Solid	15 Hours	2 Layer
Ultima Pro	SM	10.00	Continuous use	Medium Duty	355/50-20	LIP Solid	20 Hours	3 Layer
Ultima Star	SM	10.00	Continuous use	Heavy Duty	355/50-20	LIP Solid	24 Hours	3 Layer
Platina Pro	SM	10.00	Intermittent	Light Duty	355/50-20	NM STANDARD	15 Hours	2 Layer
Ultima Star	SM	10.00	Continuous use	Heavy Duty	355/50-20	NM STANDARD	24 Hours	3 Layer
Platina Pro	SM	10.00	Intermittent	Light Duty	355/50-20	NM LIP	15 Hours	2 Layer
Ultima Star	SM	10.00	Continuous use	Heavy Duty	355/50-20	NM LIP	24 Hours	3 Layer
Platina	LUG	6.50	Intermittent	Light Duty	9.00-20	Standard Solid	10-12 Hours	2 Layer
Platina Pro	LUG	6.50	Intermittent	Light Duty	9.00-20	Standard Solid	15 Hours	2 Layer
Ultima Pro	LUG	6.50	Continuous use	Medium Duty	9.00-20	Standard Solid	20 Hours	3 Layer
Ultima Star	LUG	6.50	Continuous use	Heavy Duty	9.00-20	Standard Solid	24 Hours	3 Layer
Platina	LUG	6.50	Intermittent	Light Duty	9.00-20	LIP Solid	10-12 Hours	2 Layer
Platina Pro	LUG	6.50	Intermittent	Light Duty	9.00-20	LIP Solid	15 Hours	2 Layer
Ultima Pro	LUG	6.50	Continuous use	Medium Duty	9.00-20	LIP Solid	20 Hours	3 Layer
Ultima Star	LUG	6.50	Continuous use	Heavy Duty	9.00-20	LIP Solid	24 Hours	3 Layer
Platina Pro	LUG	6.50	Intermittent	Light Duty	9.00-20	NM STANDARD	15 Hours	2 Layer
Ultima Star	LUG	6.50	Continuous use	Heavy Duty	9.00-20	NM STANDARD	24 Hours	3 Layer
Platina Pro	LUG	6.50	Intermittent	Light Duty	9.00-20	NM LIP	15 Hours	2 Layer
Ultima Star	LUG	6.50	Continuous use	Heavy Duty	9.00-20	NM LIP	24 Hours	3 Layer
Platina	LUG	7.00	Intermittent	Light Duty	9.00-20	Standard Solid	10-12 Hours	2 Layer
Platina Pro	LUG	7.00	Intermittent	Light Duty	9.00-20	Standard Solid	15 Hours	2 Layer
Ultima Pro	LUG	7.00	Continuous use	Medium Duty	9.00-20	Standard Solid	20 Hours	3 Layer
Ultima Star	LUG	7.00	Continuous use	Heavy Duty	9.00-20	Standard Solid	24 Hours	3 Layer
Platina	LUG	7.00	Intermittent	Light Duty	9.00-20	LIP Solid	10-12 Hours	2 Layer
Platina Pro	LUG	7.00	Intermittent	Light Duty	9.00-20	LIP Solid	15 Hours	2 Layer
Ultima Pro	LUG	7.00	Continuous use	Medium Duty	9.00-20	LIP Solid	20 Hours	3 Layer
Ultima Star	LUG	7.00	Continuous use	Heavy Duty	9.00-20	LIP Solid	24 Hours	3 Layer
Platina Pro	LUG	7.00	Intermittent	Light Duty	9.00-20	NM STANDARD	15 Hours	2 Layer
Ultima Star	LUG	7.00	Continuous use	Heavy Duty	9.00-20	NM STANDARD	24 Hours	3 Layer
Platina Pro	LUG	7.00	Intermittent	Light Duty	9.00-20	NM LIP	15 Hours	2 Layer
Ultima Star	LUG	7.00	Continuous use	Heavy Duty	9.00-20	NM LIP	24 Hours	3 Layer
Platina	LUG	7.00	Intermittent	Light Duty	10.00-20	Standard Solid	10-12 Hours	2 Layer
Platina Pro	LUG	7.00	Intermittent	Light Duty	10.00-20	Standard Solid	15 Hours	2 Layer
Ultima Pro	LUG	7.00	Continuous use	Medium Duty	10.00-20	Standard Solid	20 Hours	3 Layer
Ultima Star	LUG	7.00	Continuous use	Heavy Duty	10.00-20	Standard Solid	24 Hours	3 Layer
Platina	LUG	7.00	Intermittent	Light Duty	10.00-20	LIP Solid	10-12 Hours	2 Layer
Platina Pro	LUG	7.00	Intermittent	Light Duty	10.00-20	LIP Solid	15 Hours	2 Layer
Ultima Pro	LUG	7.00	Continuous use	Medium Duty	10.00-20	LIP Solid	20 Hours	3 Layer

SOLID TYRES RANGE

20

Grade MRL	Pattern	Rim Size	Operation	Duty	Tyre Size	Pattern Name	Application Per Day	Layer Construction
Ultima Star	LUG	7.00	Continuous use	Heavy Duty	10.00-20	LIP Solid	24 Hours	3 Layer
Platina Pro	LUG	7.00	Intermittent	Light Duty	10.00-20	NM STANDARD	15 Hours	2 Layer
Ultima Star	LUG	7.00	Continuous use	Heavy Duty	10.00-20	NM STANDARD	24 Hours	3 Layer
Platina Pro	LUG	7.00	Intermittent	Light Duty	10.00-20	NM LIP	15 Hours	2 Layer
Ultima Star	LUG	7.00	Continuous use	Heavy Duty	10.00-20	NM LIP	24 Hours	3 Layer
Platina	LUG	7.50	Intermittent	Light Duty	10.00-20	Standard Solid	10-12 Hours	2 Layer
Platina Pro	LUG	7.50	Intermittent	Light Duty	10.00-20	Standard Solid	15 Hours	2 Layer
Ultima Pro	LUG	7.50	Continuous use	Medium Duty	10.00-20	Standard Solid	20 Hours	3 Layer
Ultima Star	LUG	7.50	Continuous use	Heavy Duty	10.00-20	Standard Solid	24 Hours	3 Layer
Platina	LUG	7.50	Intermittent	Light Duty	10.00-20	LIP Solid	10-12 Hours	2 Layer
Platina Pro	LUG	7.50	Intermittent	Light Duty	10.00-20	LIP Solid	15 Hours	2 Layer
Ultima Pro	LUG	7.50	Continuous use	Medium Duty	10.00-20	LIP Solid	20 Hours	3 Layer
Ultima Star	LUG	7.50	Continuous use	Heavy Duty	10.00-20	LIP Solid	24 Hours	3 Layer
Platina Pro	LUG	7.50	Intermittent	Light Duty	10.00-20	NM STANDARD	15 Hours	2 Layer
Ultima Star	LUG	7.50	Continuous use	Heavy Duty	10.00-20	NM STANDARD	24 Hours	3 Layer
Platina Pro	LUG	7.50	Intermittent	Light Duty	10.00-20	NM LIP	15 Hours	2 Layer
Ultima Star	LUG	7.50	Continuous use	Heavy Duty	10.00-20	NM LIP	24 Hours	3 Layer
Platina	SM	7.50	Intermittent	Light Duty	10.00-20	Standard Solid	10-12 Hours	2 Layer
Platina Pro	SM	7.50	Intermittent	Light Duty	10.00-20	Standard Solid	15 Hours	2 Layer
Ultima Pro	SM	7.50	Continuous use	Medium Duty	10.00-20	Standard Solid	20 Hours	3 Layer
Ultima Star	SM	7.50	Continuous use	Heavy Duty	10.00-20	Standard Solid	24 Hours	3 Layer
Platina	SM	7.50	Intermittent	Light Duty	10.00-20	LIP Solid	10-12 Hours	2 Layer
Platina Pro	SM	7.50	Intermittent	Light Duty	10.00-20	LIP Solid	15 Hours	2 Layer
Ultima Pro	SM	7.50	Continuous use	Medium Duty	10.00-20	LIP Solid	20 Hours	3 Layer
Ultima Star	SM	7.50	Continuous use	Heavy Duty	10.00-20	LIP Solid	24 Hours	3 Layer
Platina Pro	SM	7.50	Intermittent	Light Duty	10.00-20	NM STANDARD	15 Hours	2 Layer
Ultima Star	SM	7.50	Continuous use	Heavy Duty	10.00-20	NM STANDARD	24 Hours	3 Layer
Platina Pro	SM	7.50	Intermittent	Light Duty	10.00-20	NM LIP	15 Hours	2 Layer
Ultima Star	SM	7.50	Continuous use	Heavy Duty	10.00-20	NM LIP	24 Hours	3 Layer
Platina	LUG	8.00	Intermittent	Light Duty	10.00-20	Standard Solid	10-12 Hours	2 Layer
Platina Pro	LUG	8.00	Intermittent	Light Duty	10.00-20	Standard Solid	15 Hours	2 Layer
Ultima Pro	LUG	8.00	Continuous use	Medium Duty	10.00-20	Standard Solid	20 Hours	3 Layer
Ultima Star	LUG	8.00	Continuous use	Heavy Duty	10.00-20	Standard Solid	24 Hours	3 Layer
Platina	LUG	8.00	Intermittent	Light Duty	10.00-20	LIP Solid	10-12 Hours	2 Layer
Platina Pro	LUG	8.00	Intermittent	Light Duty	10.00-20	LIP Solid	15 Hours	2 Layer
Ultima Pro	LUG	8.00	Continuous use	Medium Duty	10.00-20	LIP Solid	20 Hours	3 Layer
Ultima Star	LUG	8.00	Continuous use	Heavy Duty	10.00-20	LIP Solid	24 Hours	3 Layer
Platina Pro	LUG	8.00	Intermittent	Light Duty	10.00-20	NM STANDARD	15 Hours	2 Layer
Ultima Star	LUG	8.00	Continuous use	Heavy Duty	10.00-20	NM STANDARD	24 Hours	3 Layer
Platina Pro	LUG	8.00	Intermittent	Light Duty	10.00-20	NM LIP	15 Hours	2 Layer
Ultima Star	LUG	8.00	Continuous use	Heavy Duty	10.00-20	NM LIP	24 Hours	3 Layer
Platina	SCR	8.00	Intermittent	Light Duty	10.00-20 SCR	Standard Solid	10-12 Hours	2 Layer
Platina Pro	SCR	8.00	Intermittent	Light Duty	10.00-20 SCR	Standard Solid	15 Hours	2 Layer
Ultima Pro	SCR	8.00	Continuous use	Medium Duty	10.00-20 SCR	Standard Solid	20 Hours	3 Layer
Ultima Star	SCR	8.00	Continuous use	Heavy Duty	10.00-20 SCR	Standard Solid	24 Hours	3 Layer
Platina	SCR	8.00	Intermittent	Light Duty	10.00-20 SCR	LIP Solid	10-12 Hours	2 Layer
Platina Pro	SCR	8.00	Intermittent	Light Duty	10.00-20 SCR	LIP Solid	15 Hours	2 Layer

SOLID TYRES RANGE

20

Grade MRL	Pattern	Rim Size	Operation	Duty	Tyre Size	Pattern Name	Application Per Day	Layer Construction
Ultima Pro	SCR	8.00	Continuous use	Medium Duty	10.00-20 SCR	LIP Solid	20 Hours	3 Layer
Ultima Star	SCR	8.00	Continuous use	Heavy Duty	10.00-20 SCR	LIP Solid	24 Hours	3 Layer
Platina Pro	SCR	8.00	Intermittent	Light Duty	10.00-20 SCR	NM STANDARD	15 Hours	2 Layer
Ultima Star	SCR	8.00	Continuous use	Heavy Duty	10.00-20 SCR	NM STANDARD	24 Hours	3 Layer
Platina Pro	SCR	8.00	Intermittent	Light Duty	10.00-20 SCR	NM LIP	15 Hours	2 Layer
Ultima Star	SCR	8.00	Continuous use	Heavy Duty	10.00-20 SCR	NM LIP	24 Hours	3 Layer
Platina	SM	8.00	Intermittent	Light Duty	10.00-20	Standard Solid	10-12 Hours	2 Layer
Platina Pro	SM	8.00	Intermittent	Light Duty	10.00-20	Standard Solid	15 Hours	2 Layer
Ultima Pro	SM	8.00	Continuous use	Medium Duty	10.00-20	Standard Solid	20 Hours	3 Layer
Ultima Star	SM	8.00	Continuous use	Heavy Duty	10.00-20	Standard Solid	24 Hours	3 Layer
Platina	SM	8.00	Intermittent	Light Duty	10.00-20	LIP Solid	10-12 Hours	2 Layer
Platina Pro	SM	8.00	Intermittent	Light Duty	10.00-20	LIP Solid	15 Hours	2 Layer
Ultima Pro	SM	8.00	Continuous use	Medium Duty	10.00-20	LIP Solid	20 Hours	3 Layer
Ultima Star	SM	8.00	Continuous use	Heavy Duty	10.00-20	LIP Solid	24 Hours	3 Layer
Platina Pro	SM	8.00	Intermittent	Light Duty	10.00-20	NM STANDARD	15 Hours	2 Layer
Ultima Star	SM	8.00	Continuous use	Heavy Duty	10.00-20	NM STANDARD	24 Hours	3 Layer
Platina Pro	SM	8.00	Intermittent	Light Duty	10.00-20	NM LIP	15 Hours	2 Layer
Ultima Star	SM	8.00	Continuous use	Heavy Duty	10.00-20	NM LIP	24 Hours	3 Layer
Platina	LUG	8.50	Intermittent	Light Duty	10.00-20	Standard Solid	10-12 Hours	2 Layer
Platina Pro	LUG	8.50	Intermittent	Light Duty	10.00-20	Standard Solid	15 Hours	2 Layer
Ultima Pro	LUG	8.50	Continuous use	Medium Duty	10.00-20	Standard Solid	20 Hours	3 Layer
Ultima Star	LUG	8.50	Continuous use	Heavy Duty	10.00-20	Standard Solid	24 Hours	3 Layer
Platina	LUG	8.50	Intermittent	Light Duty	10.00-20	LIP Solid	10-12 Hours	2 Layer
Platina Pro	LUG	8.50	Intermittent	Light Duty	10.00-20	LIP Solid	15 Hours	2 Layer
Ultima Pro	LUG	8.50	Continuous use	Medium Duty	10.00-20	LIP Solid	20 Hours	3 Layer
Ultima Star	LUG	8.50	Continuous use	Heavy Duty	10.00-20	LIP Solid	24 Hours	3 Layer
Platina Pro	LUG	8.50	Intermittent	Light Duty	10.00-20	NM STANDARD	15 Hours	2 Layer
Ultima Star	LUG	8.50	Continuous use	Heavy Duty	10.00-20	NM STANDARD	24 Hours	3 Layer
Platina Pro	LUG	8.50	Intermittent	Light Duty	10.00-20	NM LIP	15 Hours	2 Layer
Ultima Star	LUG	8.50	Continuous use	Heavy Duty	10.00-20	NM LIP	24 Hours	3 Layer
Platina	SM	8.50	Intermittent	Light Duty	10.00-20	Standard Solid	10-12 Hours	2 Layer
Platina Pro	SM	8.50	Intermittent	Light Duty	10.00-20	Standard Solid	15 Hours	2 Layer
Ultima Pro	SM	8.50	Continuous use	Medium Duty	10.00-20	Standard Solid	20 Hours	3 Layer
Ultima Star	SM	8.50	Continuous use	Heavy Duty	10.00-20	Standard Solid	24 Hours	3 Layer
Platina	SM	8.50	Intermittent	Light Duty	10.00-20	LIP Solid	10-12 Hours	2 Layer
Platina Pro	SM	8.50	Intermittent	Light Duty	10.00-20	LIP Solid	15 Hours	2 Layer
Ultima Pro	SM	8.50	Continuous use	Medium Duty	10.00-20	LIP Solid	20 Hours	3 Layer
Ultima Star	SM	8.50	Continuous use	Heavy Duty	10.00-20	LIP Solid	24 Hours	3 Layer
Platina Pro	SM	8.50	Intermittent	Light Duty	10.00-20	NM STANDARD	15 Hours	2 Layer
Ultima Star	SM	8.50	Continuous use	Heavy Duty	10.00-20	NM STANDARD	24 Hours	3 Layer
Platina Pro	SM	8.50	Intermittent	Light Duty	10.00-20	NM LIP	15 Hours	2 Layer
Ultima Star	SM	8.50	Continuous use	Heavy Duty	10.00-20	NM LIP	24 Hours	3 Layer
Platina	SM	7.50	Intermittent	Light Duty	11.00-20	Standard Solid	10-12 Hours	2 Layer
Platina Pro	SM	7.50	Intermittent	Light Duty	11.00-20	Standard Solid	15 Hours	2 Layer
Ultima Pro	SM	7.50	Continuous use	Medium Duty	11.00-20	Standard Solid	20 Hours	3 Layer
Ultima Star	SM	7.50	Continuous use	Heavy Duty	11.00-20	Standard Solid	24 Hours	3 Layer
Platina	SM	7.50	Intermittent	Light Duty	11.00-20	LIP Solid	10-12 Hours	2 Layer

SOLID TYRES RANGE

20

Grade MRL	Pattern	Rim Size	Operation	Duty	Tyre Size	Pattern Name	Application Per Day	Layer Construction
Platina Pro	SM	7.50	Intermittent	Light Duty	11.00-20	LIP Solid	15 Hours	2 Layer
Ultima Pro	SM	7.50	Continuous use	Medium Duty	11.00-20	LIP Solid	20 Hours	3 Layer
Ultima Star	SM	7.50	Continuous use	Heavy Duty	11.00-20	LIP Solid	24 Hours	3 Layer
Platina Pro	SM	7.50	Intermittent	Light Duty	11.00-20	NM STANDARD	15 Hours	2 Layer
Ultima Star	SM	7.50	Continuous use	Heavy Duty	11.00-20	NM STANDARD	24 Hours	3 Layer
Platina Pro	SM	7.50	Intermittent	Light Duty	11.00-20	NM LIP	15 Hours	2 Layer
Ultima Star	SM	7.50	Continuous use	Heavy Duty	11.00-20	NM LIP	24 Hours	3 Layer
Platina	SM	8.00	Intermittent	Light Duty	11.00-20	Standard Solid	10-12 Hours	2 Layer
Platina Pro	SM	8.00	Intermittent	Light Duty	11.00-20	Standard Solid	15 Hours	2 Layer
Ultima Pro	SM	8.00	Continuous use	Medium Duty	11.00-20	Standard Solid	20 Hours	3 Layer
Ultima Star	SM	8.00	Continuous use	Heavy Duty	11.00-20	Standard Solid	24 Hours	3 Layer
Platina	SM	8.00	Intermittent	Light Duty	11.00-20	LIP Solid	10-12 Hours	2 Layer
Platina Pro	SM	8.00	Intermittent	Light Duty	11.00-20	LIP Solid	15 Hours	2 Layer
Ultima Pro	SM	8.00	Continuous use	Medium Duty	11.00-20	LIP Solid	20 Hours	3 Layer
Ultima Star	SM	8.00	Continuous use	Heavy Duty	11.00-20	LIP Solid	24 Hours	3 Layer
Platina Pro	SM	8.00	Intermittent	Light Duty	11.00-20	NM STANDARD	15 Hours	2 Layer
Ultima Star	SM	8.00	Continuous use	Heavy Duty	11.00-20	NM STANDARD	24 Hours	3 Layer
Platina Pro	SM	8.00	Intermittent	Light Duty	11.00-20	NM LIP	15 Hours	2 Layer
Ultima Star	SM	8.00	Continuous use	Heavy Duty	11.00-20	NM LIP	24 Hours	3 Layer
Platina	SM	8.50	Intermittent	Light Duty	11.00-20	Standard Solid	10-12 Hours	2 Layer
Platina Pro	SM	8.50	Intermittent	Light Duty	11.00-20	Standard Solid	15 Hours	2 Layer
Ultima Pro	SM	8.50	Continuous use	Medium Duty	11.00-20	Standard Solid	20 Hours	3 Layer
Ultima Star	SM	8.50	Continuous use	Heavy Duty	11.00-20	Standard Solid	24 Hours	3 Layer
Platina	SM	8.50	Intermittent	Light Duty	11.00-20	LIP Solid	10-12 Hours	2 Layer
Platina Pro	SM	8.50	Intermittent	Light Duty	11.00-20	LIP Solid	15 Hours	2 Layer
Ultima Pro	SM	8.50	Continuous use	Medium Duty	11.00-20	LIP Solid	20 Hours	3 Layer
Ultima Star	SM	8.50	Continuous use	Heavy Duty	11.00-20	LIP Solid	24 Hours	3 Layer
Platina Pro	SM	8.50	Intermittent	Light Duty	11.00-20	NM STANDARD	15 Hours	2 Layer
Ultima Star	SM	8.50	Continuous use	Heavy Duty	11.00-20	NM STANDARD	24 Hours	3 Layer
Platina Pro	SM	8.50	Intermittent	Light Duty	11.00-20	NM LIP	15 Hours	2 Layer
Ultima Star	SM	8.50	Continuous use	Heavy Duty	11.00-20	NM LIP	24 Hours	3 Layer
Platina	LUG	8.00	Intermittent	Light Duty	12.00-20	Standard Solid	10-12 Hours	2 Layer
Platina Pro	LUG	8.00	Intermittent	Light Duty	12.00-20	Standard Solid	15 Hours	2 Layer
Ultima Pro	LUG	8.00	Continuous use	Medium Duty	12.00-20	Standard Solid	20 Hours	3 Layer
Ultima Star	LUG	8.00	Continuous use	Heavy Duty	12.00-20	Standard Solid	24 Hours	3 Layer
Platina	LUG	8.00	Intermittent	Light Duty	12.00-20	LIP Solid	10-12 Hours	2 Layer
Platina Pro	LUG	8.00	Intermittent	Light Duty	12.00-20	LIP Solid	15 Hours	2 Layer
Ultima Pro	LUG	8.00	Continuous use	Medium Duty	12.00-20	LIP Solid	20 Hours	3 Layer
Ultima Star	LUG	8.00	Continuous use	Heavy Duty	12.00-20	LIP Solid	24 Hours	3 Layer
Platina Pro	LUG	8.00	Intermittent	Light Duty	12.00-20	NM STANDARD	15 Hours	2 Layer
Ultima Star	LUG	8.00	Continuous use	Heavy Duty	12.00-20	NM STANDARD	24 Hours	3 Layer
Platina Pro	LUG	8.00	Intermittent	Light Duty	12.00-20	NM LIP	15 Hours	2 Layer
Ultima Star	LUG	8.00	Continuous use	Heavy Duty	12.00-20	NM LIP	24 Hours	3 Layer
Platina	SM	8.00	Intermittent	Light Duty	12.00-20	Standard Solid	10-12 Hours	2 Layer
Platina Pro	SM	8.00	Intermittent	Light Duty	12.00-20	Standard Solid	15 Hours	2 Layer
Ultima Pro	SM	8.00	Continuous use	Medium Duty	12.00-20	Standard Solid	20 Hours	3 Layer
Ultima Star	SM	8.00	Continuous use	Heavy Duty	12.00-20	Standard Solid	24 Hours	3 Layer

SOLID TYRES RANGE

20

Grade MRL	Pattern	Rim Size	Operation	Duty	Tyre Size	Pattern Name	Application Per Day	Layer Construction
Platina	SM	8.00	Intermittent	Light Duty	12.00-20	LIP Solid	10-12 Hours	2 Layer
Platina Pro	SM	8.00	Intermittent	Light Duty	12.00-20	LIP Solid	15 Hours	2 Layer
Ultima Pro	SM	8.00	Continuous use	Medium Duty	12.00-20	LIP Solid	20 Hours	3 Layer
Ultima Star	SM	8.00	Continuous use	Heavy Duty	12.00-20	LIP Solid	24 Hours	3 Layer
Platina Pro	SM	8.00	Intermittent	Light Duty	12.00-20	NM STANDARD	15 Hours	2 Layer
Ultima Star	SM	8.00	Continuous use	Heavy Duty	12.00-20	NM STANDARD	24 Hours	3 Layer
Platina Pro	SM	8.00	Intermittent	Light Duty	12.00-20	NM LIP	15 Hours	2 Layer
Ultima Star	SM	8.00	Continuous use	Heavy Duty	12.00-20	NM LIP	24 Hours	3 Layer
Platina	LUG	8.50	Intermittent	Light Duty	12.00-20	Standard Solid	10-12 Hours	2 Layer
Platina Pro	LUG	8.50	Intermittent	Light Duty	12.00-20	Standard Solid	15 Hours	2 Layer
Ultima Pro	LUG	8.50	Continuous use	Medium Duty	12.00-20	Standard Solid	20 Hours	3 Layer
Ultima Star	LUG	8.50	Continuous use	Heavy Duty	12.00-20	Standard Solid	24 Hours	3 Layer
Platina	LUG	8.50	Intermittent	Light Duty	12.00-20	LIP Solid	10-12 Hours	2 Layer
Platina Pro	LUG	8.50	Intermittent	Light Duty	12.00-20	LIP Solid	15 Hours	2 Layer
Ultima Pro	LUG	8.50	Continuous use	Medium Duty	12.00-20	LIP Solid	20 Hours	3 Layer
Ultima Star	LUG	8.50	Continuous use	Heavy Duty	12.00-20	LIP Solid	24 Hours	3 Layer
Platina Pro	LUG	8.50	Intermittent	Light Duty	12.00-20	NM STANDARD	15 Hours	2 Layer
Ultima Star	LUG	8.50	Continuous use	Heavy Duty	12.00-20	NM STANDARD	24 Hours	3 Layer
Platina Pro	LUG	8.50	Intermittent	Light Duty	12.00-20	NM LIP	15 Hours	2 Layer
Ultima Star	LUG	8.50	Continuous use	Heavy Duty	12.00-20	NM LIP	24 Hours	3 Layer
Platina	SM	8.50	Intermittent	Light Duty	12.00-20	Standard Solid	10-12 Hours	2 Layer
Platina Pro	SM	8.50	Intermittent	Light Duty	12.00-20	Standard Solid	15 Hours	2 Layer
Ultima Pro	SM	8.50	Continuous use	Medium Duty	12.00-20	Standard Solid	20 Hours	3 Layer
Ultima Star	SM	8.50	Continuous use	Heavy Duty	12.00-20	Standard Solid	24 Hours	3 Layer
Platina	SM	8.50	Intermittent	Light Duty	12.00-20	LIP Solid	10-12 Hours	2 Layer
Platina Pro	SM	8.50	Intermittent	Light Duty	12.00-20	LIP Solid	15 Hours	2 Layer
Ultima Pro	SM	8.50	Continuous use	Medium Duty	12.00-20	LIP Solid	20 Hours	3 Layer
Ultima Star	SM	8.50	Continuous use	Heavy Duty	12.00-20	LIP Solid	24 Hours	3 Layer
Platina Pro	SM	8.50	Intermittent	Light Duty	12.00-20	NM STANDARD	15 Hours	2 Layer
Ultima Star	SM	8.50	Continuous use	Heavy Duty	12.00-20	NM STANDARD	24 Hours	3 Layer
Platina Pro	SM	8.50	Intermittent	Light Duty	12.00-20	NM LIP	15 Hours	2 Layer
Ultima Star	SM	8.50	Continuous use	Heavy Duty	12.00-20	NM LIP	24 Hours	3 Layer
Platina	SM	8.00	Intermittent	Light Duty	13.00-20	Standard Solid	10-12 Hours	2 Layer
Platina Pro	SM	8.00	Intermittent	Light Duty	13.00-20	Standard Solid	15 Hours	2 Layer
Ultima Pro	SM	8.00	Continuous use	Medium Duty	13.00-20	Standard Solid	20 Hours	3 Layer
Ultima Star	SM	8.00	Continuous use	Heavy Duty	13.00-20	Standard Solid	24 Hours	3 Layer
Platina	SM	8.00	Intermittent	Light Duty	13.00-20	LIP Solid	10-12 Hours	2 Layer
Platina Pro	SM	8.00	Intermittent	Light Duty	13.00-20	LIP Solid	15 Hours	2 Layer
Ultima Pro	SM	8.00	Continuous use	Medium Duty	13.00-20	LIP Solid	20 Hours	3 Layer
Ultima Star	SM	8.00	Continuous use	Heavy Duty	13.00-20	LIP Solid	24 Hours	3 Layer
Platina Pro	SM	8.00	Intermittent	Light Duty	13.00-20	NM STANDARD	15 Hours	2 Layer
Ultima Star	SM	8.00	Continuous use	Heavy Duty	13.00-20	NM STANDARD	24 Hours	3 Layer
Platina Pro	SM	8.00	Intermittent	Light Duty	13.00-20	NM LIP	15 Hours	2 Layer
Ultima Star	SM	8.00	Continuous use	Heavy Duty	13.00-20	NM LIP	24 Hours	3 Layer
Platina	SM	8.50	Intermittent	Light Duty	13.00-20	Standard Solid	10-12 Hours	2 Layer
Platina Pro	SM	8.50	Intermittent	Light Duty	13.00-20	Standard Solid	15 Hours	2 Layer
Ultima Pro	SM	8.50	Continuous use	Medium Duty	13.00-20	Standard Solid	20 Hours	3 Layer

SOLID TYRES RANGE

24

Grade MRL	Pattern	Rim Size	Operation	Duty	Tyre Size	Pattern Name	Application Per Day	Layer Construction
Ultima Star	SM	8.50	Continuous use	Heavy Duty	13.00-20	Standard Solid	24 Hours	3 Layer
Platina	SM	8.50	Intermittent	Light Duty	13.00-20	LIP Solid	10-12 Hours	2 Layer
Platina Pro	SM	8.50	Intermittent	Light Duty	13.00-20	LIP Solid	15 Hours	2 Layer
Ultima Pro	SM	8.50	Continuous use	Medium Duty	13.00-20	LIP Solid	20 Hours	3 Layer
Ultima Star	SM	8.50	Continuous use	Heavy Duty	13.00-20	LIP Solid	24 Hours	3 Layer
Platina Pro	SM	8.50	Intermittent	Light Duty	13.00-20	NM STANDARD	15 Hours	2 Layer
Ultima Star	SM	8.50	Continuous use	Heavy Duty	13.00-20	NM STANDARD	24 Hours	3 Layer
Platina Pro	SM	8.50	Intermittent	Light Duty	13.00-20	NM LIP	15 Hours	2 Layer
Ultima Star	SM	8.50	Continuous use	Heavy Duty	13.00-20	NM LIP	24 Hours	3 Layer
Platina	LUG	8.50	Intermittent	Light Duty	12.00-24	Standard Solid	10-12 Hours	2 Layer
Platina Pro	LUG	8.50	Intermittent	Light Duty	12.00-24	Standard Solid	15 Hours	2 Layer
Ultima Pro	LUG	8.50	Continuous use	Medium Duty	12.00-24	Standard Solid	20 Hours	3 Layer
Ultima Star	LUG	8.50	Continuous use	Heavy Duty	12.00-24	Standard Solid	24 Hours	3 Layer
Platina	LUG	8.50	Intermittent	Light Duty	12.00-24	LIP Solid	10-12 Hours	2 Layer
Platina Pro	LUG	8.50	Intermittent	Light Duty	12.00-24	LIP Solid	15 Hours	2 Layer
Ultima Pro	LUG	8.50	Continuous use	Medium Duty	12.00-24	LIP Solid	20 Hours	3 Layer
Ultima Star	LUG	8.50	Continuous use	Heavy Duty	12.00-24	LIP Solid	24 Hours	3 Layer
Platina Pro	LUG	8.50	Intermittent	Light Duty	12.00-24	NM STANDARD	15 Hours	2 Layer
Ultima Star	LUG	8.50	Continuous use	Heavy Duty	12.00-24	NM STANDARD	24 Hours	3 Layer
Platina Pro	LUG	8.50	Intermittent	Light Duty	12.00-24	NM LIP	15 Hours	2 Layer
Ultima Star	LUG	8.50	Continuous use	Heavy Duty	12.00-24	NM LIP	24 Hours	3 Layer
Platina	LUG	10.00	Intermittent	Light Duty	12.00-24	Standard Solid	10-12 Hours	2 Layer
Platina Pro	LUG	10.00	Intermittent	Light Duty	12.00-24	Standard Solid	15 Hours	2 Layer
Ultima Pro	LUG	10.00	Continuous use	Medium Duty	12.00-24	Standard Solid	20 Hours	3 Layer
Ultima Star	LUG	10.00	Continuous use	Heavy Duty	12.00-24	Standard Solid	24 Hours	3 Layer
Platina	LUG	10.00	Intermittent	Light Duty	12.00-24	LIP Solid	10-12 Hours	2 Layer
Platina Pro	LUG	10.00	Intermittent	Light Duty	12.00-24	LIP Solid	15 Hours	2 Layer
Ultima Pro	LUG	10.00	Continuous use	Medium Duty	12.00-24	LIP Solid	20 Hours	3 Layer
Ultima Star	LUG	10.00	Continuous use	Heavy Duty	12.00-24	LIP Solid	24 Hours	3 Layer
Platina Pro	LUG	10.00	Intermittent	Light Duty	12.00-24	NM STANDARD	15 Hours	2 Layer
Ultima Star	LUG	10.00	Continuous use	Heavy Duty	12.00-24	NM STANDARD	24 Hours	3 Layer
Platina Pro	LUG	10.00	Intermittent	Light Duty	12.00-24	NM LIP	15 Hours	2 Layer
Ultima Star	LUG	10.00	Continuous use	Heavy Duty	12.00-24	NM LIP	24 Hours	3 Layer
Platina	LUG	10.00	Intermittent	Light Duty	14.00-24	Standard Solid	10-12 Hours	2 Layer
Platina Pro	LUG	10.00	Intermittent	Light Duty	14.00-24	Standard Solid	15 Hours	2 Layer
Ultima Pro	LUG	10.00	Continuous use	Medium Duty	14.00-24	Standard Solid	20 Hours	3 Layer
Ultima Star	LUG	10.00	Continuous use	Heavy Duty	14.00-24	Standard Solid	24 Hours	3 Layer
Platina	LUG	10.00	Intermittent	Light Duty	14.00-24	LIP Solid	10-12 Hours	2 Layer
Platina Pro	LUG	10.00	Intermittent	Light Duty	14.00-24	LIP Solid	15 Hours	2 Layer
Ultima Pro	LUG	10.00	Continuous use	Medium Duty	14.00-24	LIP Solid	20 Hours	3 Layer
Ultima Star	LUG	10.00	Continuous use	Heavy Duty	14.00-24	LIP Solid	24 Hours	3 Layer
Platina Pro	LUG	10.00	Intermittent	Light Duty	14.00-24	NM STANDARD	15 Hours	2 Layer
Ultima Star	LUG	10.00	Continuous use	Heavy Duty	14.00-24	NM STANDARD	24 Hours	3 Layer
Platina Pro	LUG	10.00	Intermittent	Light Duty	14.00-24	NM LIP	15 Hours	2 Layer
Ultima Star	LUG	10.00	Continuous use	Heavy Duty	14.00-24	NM LIP	24 Hours	3 Layer
Platina	LUG	10.00	Intermittent	Light Duty	14.00-25	Standard Solid	10-12 Hours	2 Layer
Platina Pro	LUG	10.00	Intermittent	Light Duty	14.00-25	Standard Solid	15 Hours	2 Layer

25

SOLID TYRES RANGE

	Grade MRL	Pattern	Rim Size	Operation	Duty	Tyre Size	Pattern Name	Application Per Day	Layer Construction
25	Ultima Pro	LUG	10.00	Continuous use	Medium Duty	14.00-25	Standard Solid	20 Hours	3 Layer
	Ultima Star	LUG	10.00	Continuous use	Heavy Duty	14.00-25	Standard Solid	24 Hours	3 Layer
	Platina	LUG	10.00	Intermittent	Light Duty	14.00-25	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	10.00	Intermittent	Light Duty	14.00-25	LIP Solid	15 Hours	2 Layer
	Ultima Pro	LUG	10.00	Continuous use	Medium Duty	14.00-25	LIP Solid	20 Hours	3 Layer
	Ultima Star	LUG	10.00	Continuous use	Heavy Duty	14.00-25	LIP Solid	24 Hours	3 Layer
	Platina Pro	LUG	10.00	Intermittent	Light Duty	14.00-25	NM STANDARD	15 Hours	2 Layer
	Ultima Star	LUG	10.00	Continuous use	Heavy Duty	14.00-25	NM STANDARD	24 Hours	3 Layer
	Platina Pro	LUG	10.00	Intermittent	Light Duty	14.00-25	NM LIP	15 Hours	2 Layer
	Ultima Star	LUG	10.00	Continuous use	Heavy Duty	14.00-25	NM LIP	24 Hours	3 Layer

SKID STEER SOLID TYRES R4 TREAD WITH APERTURES



	Grade MRL	Pattern	Rim Size	Operation	Duty	Tyre Size	Pattern Name	Layer Construction
16	Economy	R-4	6.00	Intermittent	Light Duty	31X10X16	Standard Solid	2 Layer
	Standard	R-4	6.00	Continuous use	Medium Duty	31X10X16	Standard Solid	3 Layer
	Economy	R-4	6.00	Intermittent	Light Duty	31X10X16	LIP SOLID	2 Layer
	Standard	R-4	6.00	Continuous use	Medium Duty	31X10X16	LIP SOLID	3 Layer
20	Economy	R-4	7.50	Intermittent	Light Duty	33X12X20	Standard Solid	2 Layer
	Standard	R-4	7.50	Continuous use	Medium Duty	33X12X20	Standard Solid	3 Layer
	Economy	R-4	7.50	Intermittent	Light Duty	33X12X20	LIP SOLID	2 Layer
	Standard	R-4	7.50	Continuous use	Medium Duty	33X12X20	LIP SOLID	3 Layer
	Economy	R-4	7.50	Intermittent	Light Duty	31X10-20	Standard Solid	2 Layer
	Standard	R-4	7.50	Continuous use	Medium Duty	31X10-20	Standard Solid	3 Layer
	Economy	R-4	7.50	Intermittent	Light Duty	31X10-20	LIP SOLID	2 Layer
	Standard	R-4	7.50	Continuous use	Medium Duty	31X10-20	LIP SOLID	3 Layer

BUTYL TUBES



AGRICULTURE RANGE

TUBE SIZE	VALVE
9.5-48	TR 218A
18.8/20.8 R 42	TR 218A
8.3/9.5-44	TR 218A
20.8-38	TR 218A
18.4-38	TR 218A
18.4-34	TR 218A
15.5/16-38	TR 218A
16.9-38	TR 218A
14.9/13-38	TR 218A
13.6/12-38	TR 218A
12.4/13.6-36	TR 218A
9.5/9-36	TR 218A
18.4/15-34	TR 218A
16.9/14-34	TR 218A
650/75-32	TR 218A
30.5 L 32	TR 218A
12.4-32	TR 218A
8.3-32	TR 218A
9.5-32	TR 218A
18.4/15-30 HD	TR 218A
18.4/15-30	TR 218A
16.9/14-30	TR 218A

TUBE SIZE	VALVE
14.9/13-30	TR 218A
16.9/14-28	TR 218A
14.9/13-28	TR 218A
13.6/12-28 HD	TR 218A
13.6/12-28	TR 218A
12.4/11-28 HD	TR 218A
12.4/11-28	TR 218A
11.2/10-28	TR 218A
23.1/18-26	TR 218A
18.4/15-26	TR 218A
16.9-24	TR 218A
14.9/13-24	TR 218A
13.6/12-24	TR 218A
11.2-24 / 12.4-24	TR 218A
8.3/9.5-24	TR 218A
16.0/70-20	TR 218A
14.5-20	TR 218A
12.5-20	TR 218A
11.2-20	TR 218A
10.5-20	TR 218A
8.3-20	TR 218A

IMPLEMENT RANGE

TUBE SIZE	VALVE
8.00-19	TR 15
7.00-19	TR 15
6.00-19	TR 15
5.00-19	TR 15
12.5-18	TR 218A
10.5-18	TR 218A
12.5/80-18	TR 218A
12.5/80-18	TR 15
8.00-18	TR 15
7.50-18	TR 15
550/50-17	TR 15
12-16.5	TR 15
10.50-16	TR 15
9.00-16 HD	TR 177A
9.00-16	TR 15
400/60-15.5	TR 218A
12.5/80-15.3	TR 218A
11.5/75-15.3	TR 218A
10.0/75-15.3	TR 218A
10.00-15	TR 218A

TUBE SIZE	VALVE
9.00-15	TR 75
9.00-15	TR 15
8.15-15 (28.9-15)	TR 75A
8.25-15	TR 75A
2.50/3.00-15	TR 75A
23x10-12	TR 218A
10.0/80-12	TR 13
7.00-12	JS 2
7.00-12	TR 75A
7.00-12	TR 15
6.00-12	JS 2
6.00-12	TR 13
5.00-12	TR 13
6.50-10	JS 2
6.00-10	TR 13
23x9-10	JS 87
6.00-9	JS 2
18x7-8 / 4.00-8 / 5.00-8	JS 2
4.00-4	JS 87

HEAVY TRUCK & OTR

TUBE SIZE	VALVE
29.5-25	TRJ 1175C
26.5-25	TRJ 1175C
23.5-25 HD	TRJ 1175C
23.5-25	TRJ 1175C
20.5-25	TRJ 1175C
23.1-26	TRJ 1175C
18.00-24	TRJ 1175C
18.00-25	TRJ 1175C
17.5-25	TRJ 1175C
16.00-24/25	TRJ 1175C
15.5-25	TRJ 1175C
14.00-25 HD	TRJ 1175C
13.00/14.00-24	TR 179A
13.00/14.00-24	TRJ 1175C
12.00-24 HD	V3-06-5
12.00-24 HD	TR 78A
16.00-20 / 16.00 R 20	TRJ 1175C

TRUCK & LIGHT COMMERCIAL VEHICLE

TUBE SIZE	VALVE	TUBE SIZE	VALVE
9.00 R 20	TR 175A	7.00-20	TR 75A
10.00 R 20	TR 78A	6.50-20	TR 15
12.00-22	TR 78A	8.25-16 HD	TR 75
11.00-22.5	TR 78A	8.25-16 HD	TR 75A
11.00-22	TR 78A	8.25-16 HD	TR 77
14.00-20 HD	TR 179A	8.25-16 HD	TR 77A
13.00-20	TR 179A	8.25-16 HD	TR 177A
12.00-20	V3-06-5	7.00/7.50-16	TR 75A
12.00-20	TR 78A	7.00/7.50-16 (S.V)	TR 15
11.00-20	V3-06-5	7.00/7.50-16 (L.V)	TR 177A
11.00-20 HD	TR 78A	6.50/6.00-16	V3-06-5
10.00-20 HD	TR 78A	6.50/6.00-16	TR 75A
10.00-20	V3-06-5	6.00-16	TR 15
10.00-20	TR 78A	6.00-16	TR 177A
9.00-20 LV HD	TR 175A	7.00/7.50-15 (L.V) HD	TR 75A
9.00-20	V3-06-5	7.00/7.50-15 (L.V)	TR 75A
9.00-20 LV	TR 175A	7.00/7.50-15 (S.V) HD	TR 15
8.25-20 HD	TR 175A	7.00/7.50-15 (S.V)	TR 15
8.25-20 HD	TR 15	7.00/7.50-15 (S.V)	TR 13
7.50-20	V3-06-5	7.50 R 16	TR 177A
7.50-20 HD	TR 175A	7.00 R 15	TR 15

PASSENGER RADIAL

TUBE SIZE	VALVE
235/265R17	TR 75A
235R16	TR 75A
205R16	TR 75A
205R16	TR 13
185/85R-16	TR-13E(B57357)
215/235/75R15	TR 13
205/70R15	TR 13
195R15 HD	TR 13
195R15	TR 13
175/185/80R15	TR 13
185/195-15	TR 13
165/80 R 15	TR 13
5.90-15	TR 13
H78-15	TR 13
F78-15	TR 13
6.00/6.50-15	TR 15
215R14	TR 13
185/195/80R14	TR 13
175/70R-14	TR-13E(B57357)
165/80R-14	TR-13E(B57357)
165/175 65R14	TR 13

TUBE SIZE	VALVE
145/155/165 80R14	TR 13
185/6.00-14	TR 13
6.50-14	TR 13
165D-14	TR 13
5.20-14	TR 13
175/185R-13(SV)	TR 13
175/185R-13(LV)	TR-13E(B57357)
155/65R-13	TR-13E(B57357)
155/70R-13	TR-13E(B57357)
155/80R-13	TR-13E(B57357)
165/65R-13	TR-13E(B57357)
165D-13 HD	TR 13
155/165-13	TR 13
5.60-13	TR 13
5.50-13	TR 13
145/70/80R-13(SV)	TR 13
145/70/80R-13(LV)	TR-13E(B57357)
155/70/80D-12	TR 13
145/70/80R-12	TR 13
165D-12	TR 13
4.50-12	TR 13
5.65-12	TR 13

TWO/THREE WHEELER

TUBE SIZE	VALVE
3.50-7	TR 13
3.50-8	V1.08-3
4.00-8	V1.08-3
2.75/3.00-10	V1.08-1
3.50/4.00-10	V1.08-1
90/100-10	V1.08-1
4.50/5.00-10	TR 13
90/90-12	V1.08-1
3.75-12	TR 29/TR 4
2.75/3.00-14	TR 29/TR 4
130/90-15	TR 29/TR 4
2.25/2.50-16	TR 29/TR 4
3.25/3.50-16	TR 29/TR 4
110/90-16	TR 29/TR 4
120/80-16	TR 29/TR 4
2.75/3.00-17	TR 29/TR 4

TUBE SIZE	VALVE
2.75/3.00-17 HD	TR 29/TR 4
2.25/2.50-17	TR 29/TR 4
460-17	TR 29/TR 4
100/90-17	TR 29/TR 4
120/80-17	TR 29/TR 4
140/60-17	TR 29/TR 4
2.25/2.50-18	TR 29/TR 4
2.75/3.00-18	TR 29/TR 4
3.50-18	TR 29/TR 4
4.10-18	TR 29/TR 4
100/90-18	TR 29/TR 4
120/80-18 & 150/80/18	TR 29/TR 4
2.00/2.25-19	TR 29/TR 4
3.00/3.25/3.50-19	TR 29/TR 4
90/90-18	TR 29/TR 4
3.00-21	TR 29/TR 4

FLAPS

FLAP SIZES

4.00- 8 FLAP
18x7-8/5.00/5.70-8
6.00/6.90 - 9 FLAP
6.50/7.50 - 10 FLAP
7.00/8.25 - 12 FLAP
6.50/7.00/7.50/8.25-15/28x9-15 FLAP
7.00/7.50/8.25/9.00-16 FLAP
21X800 - 9 FLAP
9.00/11.00-15
2.50/3.00 - 15
6.50/8.25 - 20
9.00/10.00-20 (No Protector)
20N FLAP (PLASTIC PROTECTOR)
20N RR - 9.00/10.00R20 with Metal Protector
11.00/12.00-20 with Nylon Protector
14.00 - 20
10.0/11.00 R 22.5
11.00/12.00 R 24 with Nylon Protector
13.00/14.00 R 24/25
16.00R24/25
56X16 - 28
17.5-25 / 20.5-25 / 18.00-25
23.5-25 FLAP





Your Global Partner with World Class Capabilities
Sales Network across 6 continents & Brand Presence in 105 countries

Corporate Office

MRL TYRES LTD.

Office: 50A First Floor, Road No. 70, Rama Road Industrial Area, Moti Nagar, New Delhi -110015, INDIA

Phone: +91-11-4999 4999 (100 Lines) **Fax:** +91-11-4999 4998/97

Email: info@mrltyres.com, **Web Site:** www.mrltyres.com

MRL TYRES USA

Email: usa@mrltyres.com